


Gar.  
232 @  
TECH LIB.



software age

APRIL 1968

**WHY DISCRIMINATE AGAINST THE  
FORTRAN PROGRAMMERS. SEE PAGE 8**

C315 20370&ST SDEPT 0 \*  
ST ANAL &SER BR B23 \*  
BUREAU OF NAVAL PERS \*  
DEPT OF THE NAVY \*  
WASHINGTON DC 20370 \*

THE MAGAZINE FOR PROGRAMMERS • MATHEMATICIANS • ANALYSTS • EDP MANAGERS



# Digital Systems Engineers



The Bedford Laboratories of Raytheon's Missile Systems Division has immediate, long-term openings for professionals seeking to join a team working at the forefront of the many varied fields of electronics, including advanced development of the new SAM-D Surface-to-Air supersonic missile system. Other long-range programs include HAWK, SPARROW, and MSR. Challenging opportunities exist for engineers, mathematicians and physicists at all degree levels.


Our Digital Systems Department is staffed with engineers and scientists proficient in analysis, conceptual and system design, detailed logic design, unit testing, and system checkout of all digital hardware contained in systems conceived and implemented by the Missile Systems Division of Raytheon. This may consist of special purpose computers such as beam steering for phased arrays or general purpose computers for fire control. In the latter application the department is also responsible for system programming such as assemblers, compilers, and executive programs; operational programming such as tracking and threat priority assignment; and support programming such as diagnostics and utility routines.

In addition, the department pursues an active research and development program in such areas as radar signature recognition, digital TV bandwidth reduction techniques, and multi-processor organization.

## WORK AREAS:

- Logic Design
- Computer Logic Design
- Digital Signal Processing
- Digital Circuit Design
- Systems Analysis
- Real-Time Systems Programming
- Command and Control
- Systems Software Design

For your interview, send your resume to Richard Neal, Raytheon Company, Missile Systems Division, Dept. 64, Bedford, Massachusetts 01730. Or phone: (617) 274-6083.




An Equal Opportunity Employer



# PROGRAMMERS—ENGINEERS

There are millions of small reasons  
why you should see us at the SJCC.



We're developing new superconductive memories with capacities of millions of bits per cubic foot . . . integrated circuits that pack a thousand transistors onto a single chip.

This not only means computers of greatly decreased size, but increased speed; plus tremendous potential for growth in many new areas.

Thus, there are far reaching opportunities at RCA for EDP professionals in hardware, software, programming, engineering, educational systems, graphic arts, and other areas.

We'll put every facility at your command. Plus full measures of encouragement, recognition and reward. But first . . .

## **Let's talk it over at SJCC**

Current openings in these areas: Computer

Design; Commercial Applications; Software Development; Display Design; Peripheral Equipment Design—high-speed electromechanical printers, high performance digital tape stations, communication terminals, serial printers, magnetic tape handlers; Digital Data Transmission Systems; Scientific Programming; Design Automation; Orbital Analysis; Product Planning; Systems Planning; EDP Sales; Field System Support.

To arrange a confidential interview with RCA at the Claridge Hotel, call Mr. T. A. Beckett at (609) 345-1271 during the Convention.

Or write: Mr. T. A. Beckett, RCA Staff Employment, Dept. SJ-1B, Building 2-2, Camden, New Jersey 08102. We are an equal opportunity employer.

# **RCA**



**Systems Analysts  
Programmers  
Mathematicians**

# UPTIME YOUR CAREER

**at**

# DIA

Switchover to Defense Intelligence Agency. DIA's mission is to strengthen a worldwide intelligence base which provides immediate and precise information on military ground, naval, air, missile and space forces. DIA's reports affect the nation's most vital policies.

We seek computer professionals for positions that will satisfy your most sophisticated requirements in:

**HARDWARE:** Latest on-line, remote access, multi-programming and time-sharing 3rd generation equipment.

**SOFTWARE:** Challenging assignments in: Complex systems analysis, design and programming . . . Design of special purpose mathematical, geographical search programs . . . Development and maintenance of intelligence data handling files, management files and scientific systems on all size computers . . . Utilization of mathematical queuing theory and modeling/simulation systems.

DIA provides starting salaries commensurate with experience and education, regular pay increases, liberal vacation and holiday policies, comprehensive medical coverage and retirement program. In short, you get all the Federal employment benefits . . . without the requirement of Civil Service Certification. (You must be a U.S. citizen and are subject to thorough background inquiry and physical examination.) Important bonus: DIA training will keep you current with the state-of-the-art.

Capitalize on your capability and creativity. Send us your resume or Standard Form 57 (application for Federal employment) and start enjoying more uptime in your career. Write:

**DEFENSE  
INTELLIGENCE  
AGENCY** CIVILIAN PERSONNEL DIVISION 5-4

Room 2E-239, The Pentagon  
Washington, D. C. 20301

An equal opportunity employer M&F

## software age

APRIL, 1968

Vol. 2—No. 3

Copyright 1968, PRESS-TECH, Inc.

### CONTENTS

### PAGE

|                                                                                                    |                       |
|----------------------------------------------------------------------------------------------------|-----------------------|
| New Installations .....                                                                            | 6                     |
| Why Discriminate Against the FORTRAN Programmers? — Robert A. Sebastian, Timothy J. Horrigan ..... | 8                     |
| Encoding from Alphanumeric Names to Record Addresses .....                                         | Dr. Thomas C. Lowe 14 |
| Game Theoretic Applications, Part II .....                                                         | James Dix 16          |
| STERILE: System of Terminology for Retrieval of Information Through Language Engineering .....     | John Canter 33        |
| Trouble-Tran Adventures for Fun and Profit .....                                                   | 37                    |
| New Products .....                                                                                 | 40                    |
| Confidential Inquiry Form .....                                                                    | 45                    |
| Index to Advertisers .....                                                                         | 46                    |

|                               |                   |
|-------------------------------|-------------------|
| Publisher .....               | H. L. Rothra      |
| Associate Publisher .....     | David W. French   |
| Advertising Manager .....     | Norman Jacobs     |
| Advertising Assistant .....   | Betsy Pavkovich   |
| Production Manager .....      | William J. Murphy |
| Director of Circulation ..... | Howard Rogers     |
| Circulation Manager .....     | Judith Arnopolin  |

**Circulation of this issue more than 91,000**

SOFTWARE AGE is published monthly by  
PRESS-TECH, Inc.  
(312) 869-1244

1020 Church Street, Evanston, Illinois 60201. Subscription free to qualified readers. Others, \$10/yr. Individual copies, \$1. Foreign subscriptions, \$10/yr.

**Main Sales Office:** Norman Jacobs (Adv. Mgr.) or Norman Brodsky, 1020 Church Street, Evanston, Illinois 60201—Telephone (312) 869-1244. Gerald Green, 60 E. 42nd, New York, N. Y.—Telephone (212) 697-5356. Richard Faust, 9800 S. Sepulveda Blvd., Los Angeles, California 90045—Telephone (213) 776-0100. David S. Wood, P. O. Box 189, Canton, Massachusetts 02021—Telephone (617) 542-1466. Richard D. Clemmer, 4900 Red Fox Drive, Annandale, Virginia 22003 (Washington, D. C.)—Telephone (202) 461-9792. Richard Faust, Palo Alto, California—Telephone (415) 327-8340.

CONTROLLED CIRCULATION POSTAGE PAID  
AT MADISON, WISCONSIN

SOFTWARE AGE



# Without moon men and planetary probes how on earth does United Air Lines attract top men to Elk Grove, Ill.?

## The answer is simple.



United Air Lines has the largest computer system in the business world in Elk Grove Township, Ill. We have the kind of hardware that challenges

even the best systems analysts and programmers.

Imagine working with hardware like this: three UNIVAC® 1108-II processors sharing a common 262K, 36-bit word core; 45 drums providing random access storage of nearly two billion characters of data; over 2800 Uniscope™ visual communication terminals that link 116 United cities to our central computer complex; 700 automatic printer units for passenger tickets and airbills.

This on-line computerized system will provide information in 17 basic categories ranging from passenger reservations, meal planning, crew and aircraft scheduling to flight planning and cargo loading.

This kind of information, and how it gets to our management, is critical to

the operation of the world's largest airline. And because we want to stay that way, you can be sure our management will encourage you in the exploration of new areas of computer science.

Since this new system becomes operational this year, you can get in on the ground floor. If you can handle responsibility for projects from analysis, through coding, debugging, and documentation and if you've had two to five years experience in business or scientific applications, let us hear from you.

United also offers a few fringe benefits that might attract you to Elk Grove. Free air travel for you and your family, company-paid insurance, an excellent retirement program and an employee stock purchase plan are just a few.

Please send your résumé and salary requirements to Mr. H. K. Schlinker, Management Employment, United Air Lines Executive Offices, P.O. Box 66100, Chicago, Illinois 60666.

**UNITED AIR LINES**  
An Equal Opportunity Employer



# UNIVAC world headquarters wants pro- grammers who actually like programming

At UNIVAC world headquarters in suburban Philadelphia—Blue Bell, Pa., in fact—the emphasis is on people and ideas. We know that every bit of software springs from a human idea. And without it, the most sophisticated—and the simplest—hardware is useless. Here in Blue Bell, you might be called from your desk to join a team of data processing pioneers in a discussion of a new idea—maybe a revolutionary concept—because that's where we live. In tomorrow.

Want to talk it over? With people who like the computer business as much as you do? Then write. Your letter will be treated confidentially, and you'll get a prompt reply. The address: C. E. Cooke, Senior Employment Representative, UNIVAC Data Processing Division, Dept D111, Box 8100, Philadelphia, Pa. 19101.

Write today and make an appointment with tomorrow

**UNIVAC**  
Data Processing Division

An equal opportunity employer M/F

## new installations

■ **Computer Learning Corporation** will use 25 Model 110 computers and 4 Keytape data preparation devices of Honeywell Inc. to help young adults pursue data processing careers. The firm offers training in keypunching, programming, systems design, engineering and management science.

Four computers are planned for the Washington area and others are slated for installation at offices in Boston and Atlanta later this year.

■ ■ ■

**Rutgers University** ordered two SDS, Scientific Data Systems, computers, a Sigma 2 and a Sigma 5, for studies in nuclear structure physics. Rutgers will use the \$500,000 dual computer system to study the composition of atomic nuclei and the forces which hold these nuclei together.

In this application the computers will be used in conjunction with a tandem van de Graaff accelerator, which accelerates nuclei of light atoms to high energy where they strike the nuclei of the substance under study. The resultant radiations and their energies are measured and analyzed by the computer system. The Sigma 2 will gather and sort this information and feed it to the Sigma 5 for analysis.

■ ■ ■

**The Boeing Company, Commercial Airplane Div.**, has awarded a \$1.8 million contract for the lease of EAI, Electronic Associates, Inc., digital computing equipment.

Two EAI 8400 Mod II Digital Computing Systems, with Data Conversion and other peripheral equipment, will be utilized by Boeing in design and development segments of the Supersonic Transport pro-

gram. The EAI 8400 is a 32-bit, general-purpose digital computing system which features one micro-second memory base register for dynamic program relocation and memory protection and a basic memory capacity of 8,192 words—expandable to 65,536 words.

■ ■ ■

**Central Casting Corporation**, the main sources of "extras" in the motion picture and television industry, has ordered a GE-405 computer system from the General Electric Co.

The GE-405, smallest number of GE's 400 series of medium-scale information systems, will be used to calculate both gross and net daily earnings of approximately 3,000 extra players. It also will be used in processing the requirements of the Motion Picture Industry Pension Plan, the industry's Health and Welfare Fund and Screen Actors-Producers Pension and Health and Welfare Plan, all of which cover approximately 30,000 employees in the motion picture and television industry.

■ ■ ■

**Information Systems Design, Inc.**, a pioneer West Coast computer service firm, has ordered a \$2 million Sperry Rand Univac 1108 Computer System in order to keep pace with the increasing demand for computing service in the San Francisco Bay area.

Remote data communication terminals, located in the offices of customers, will be connected by telephone lines to the UNIVAC 1108 so that various types of engineering and scientific problems, as well as business applications can be received and processed with maximum convenience. ■



# Collins' computer development program is still growing ...and Collins programmers are growing with it.

- Computer systems designed and manufactured by Collins handle data for airlines, railroads, and many other industrial and military organizations around the world.
- Collins computers handle hundreds of thousands of messages daily for airlines alone.
- Collins pioneered many of the concepts now widely applied in computer technology.
- Collins is bringing digital computation and control techniques to the field of avionics (for navigation, collision avoidance, and airborne integrated data systems).
- Collins leads the industry in combining communication, computation and control functions for single, integrated systems.
- Collins brings digital control to earth stations for satellite communication, and to high-power transmitter facilities for overseas broadcasts.
- Collins, a computer-oriented company, applies the most advanced digital techniques to its total operation.
- Collins programmers find assignments challenging their ingenuity, and responsibilities reflecting the programmer's importance to Collins' growth.

Openings exist for qualified individuals (degree in one of the physical sciences plus experience) at all 3 major Collins facilities: Dallas, Texas; Cedar Rapids, Iowa, and Newport Beach, California. Assignments will be in the following areas:

## • ADVANCED SYSTEMS PROGRAMMING

These assignments at Collins will involve creative design work in the area of advanced computer hardware/software systems.

## • SOFTWARE PROGRAMMING

Openings for software programmers to participate in developing advanced software systems including compilers, assemblers, interpreters and simulators.

## • REAL TIME PROGRAMMING

Assignments for these positions will be on existing large scale systems and will involve communication and message switching operations.

## • DIAGNOSTIC PROGRAMMING

These positions will require the design, writing and documentation of hardware

diagnostic programs to perform factory check-out and field maintenance of digital hardware and systems.

## • DIRECT DIGITAL CONTROL PROGRAMMING

Duties will involve work on computer controlled factory machines and numerical controlled devices and process control.

If you're interested in Collins, contact Mr. Ben E. Jeffries, Corporate Manager of Professional Employment, Collins Radio Company, Dallas, Texas 75207.

*an equal opportunity employer*







**OFF  
LIMITS**

# **WHY DISCRIMINATE AGAINST THE FORTRAN PROGRAMMERS?**

*Robert A. Sebastian  
Timothy J. Horrigan*

CAYWOOD-SCHILLER, ASSOCIATES  
Chicago, Illinois

■ You thought discrimination did not carry over into the computer world? Not so! For any group there is always another to foster its welfare and to keep it in its place—for its own good, of course. Take the FORTRAN programmers—graduate engineers, physicists, mathematicians—analyzing signals from space, hyper velocity impact, or nonlinear circuits. Why are they forbidden by the FORTRAN specification writers to overlap tape input/output; to alternate I/O areas; to manipulate files; to handle data checks; to end files with tape marks? Why? They are a stereotype—the *specification writers know*.

Their COBOL or assembly language counterparts are not forbidden these operations: They know computers; they have important input/out problems. The FORTRAN programmer creates 'scientific' programs in an ivory tower. There is no data in an ivory tower—the *specification writers know*. Besides, "The FORTRAN programmer would not know what to do with input/output capability if he had it," they say. "He does not know a tape mark from an IBC."

It may come as a shock to some people, but a large and growing number of FORTRAN programmers are not especially pleased with their

I/O limitations. They look at their optimization programs; their matrix inversions; their simulations; their statistical analysis problems; their partial differential equations. They *know* they have input/output problems. They figure, that since they can master higher mathematics, they can also master tape marks.

To put it mildly, FORTRAN has a few inadequacies when it comes to magnetic tape input/output. In other areas FORTRAN programmers have no complaints. They like the notational ease of FORTRAN; its optimized subscripting; its lack of verbosity. They have a great investment in knowing the language inside out. It is familiar and effective. Now, in the troublesome I/O area, a new development, COMPAT-F, makes them the equal of their COBOL and assembly language counterparts: It provides the status and power of genuine input/output capability.

## **Inadequacies in FORTRAN Tape I/O Eliminated by COMPAT-F**

Caywood-Schiller, Associates, specializing in 'hard core' highly mathematical operations research, was constantly running into these inadequacies. Problems with TOS/DOS FORTRAN for the IBM System/360 were particularly severe

in that tape records are blocked 64 words to a block (63 actually, the first word is a FORTRAN control word). Thus, communication with the System/360 programming support packages, including sort/merge, was essentially impossible. Processing COBOL tapes with decimal fields was also impossible, even in OS FORTRAN. CSA therefore decided to write its own magnetic tape I/O System for the 360. This system, called COMPAT-F, consists of several multiple entry FORTRAN callable assembly programs that interface directly with the channel scheduler of the system control. It is designed to facilitate the full utilization of System/360 hardware features normally accessible only in assembly language, while retaining the ease of expression and notational familiarity of FORTRAN. A summary of significant COMPAT-F features is presented in Figure 1.

## **Read Any Tape**

Any 7 or 9 channel magnetic tape (in the IBM Series 2400 Magnetic Tape Units) can be read by COMPAT-F, either forward or backward. The byte strings are transferred from tape to core by a "read" command—then a "scatter" command fills the proper FORTRAN words. Provisions are made to easily



handle packed decimal, zoned decimal, or binary tape format. Blocked records are no problem, either. In fact, this is another desirable feature of COMPAT-F. When writing a tape the programmer may choose any blocking factor he wishes. He is not restricted to 252 bytes per block as with the normal TOS/DOS FORTRAN WRITE statement. Thus, better tape utilization may be realized.

When a new 360 is installed the business or COBOL-type programs are generally converted first. "Sure," the Data Processing Manager tells the FORTRAN programmer, "we can give you data for your forecasting model. We have weekly sales of all products for the last 5 years." What he failed to point out was that FORTRAN cannot read this data since it wasn't written in FORTRAN. This leaves the programmer with three alternatives, none of which is too appealing:

- 1) Learn COBOL and write a special purpose subroutine for this job.

- 2) Ask a COBOL programmer to write the special purpose subroutine.

- 3) Forget the whole thing.

It is not uncommon for one of these special purpose subroutines to consist of 60 to 70 statements in the Procedure Division alone. Contrast this to the three basic COMPAT-F statements that would do the job—a "read," a "check," and a "scatter." The "read" command transfers one physical record from tape to core; the "check" tests for end of file (other special conditions such as read error, write error, load point, tape unloaded, etc. may also be checked); and the "scatter" sets up the proper FORTRAN words with decimal-binary conversion, when required.

#### Write Compatible Tapes

The IBM utility packages such as sort/merge can be of great assistance to the programmer. But, in general, they won't read FORTRAN written tapes. Sort/merge, for example, cannot be used with FORTRAN written data if there are more than 63 words in a record.

A COMPAT-F written tape can be read by these packages as well as COBOL, assembly language, and, of course, COMPAT-F.

## THE FUNDAMENTAL FEATURES OF COMPAT-F FOR IBM SYSTEM 360 FORTRAN

- ★ Allows FORTRAN utilization of data prepared by other program languages or by other computers.
- ★ Outputs FORTRAN tapes acceptable to utility programs (i.e., sort/merge), other program languages, or other computers.
- ★ Provides substantial computer time saving by allowing the overlapping of input/output with processing.
- ★ Permits increased tape utilization through usage of blocked records.
- ★ Enables FORTRAN to accept multi-file reels and/or multi-reel files.
- ★ Furnishes the capability of complete tape manipulation, including forward and back spacing of blocks and files.
- ★ Gives the programmer the option of taking specific action as a result of input/output errors.

In short, COMPAT-F combines the FORTRAN algorithmic capability for scientific computation with the similar capability of assembly language for data handling.

FIGURE 1

#### Overlap I/O and Processing

The concept of simultaneously reading, writing, and processing is generally unknown to a FORTRAN programmer—it can't be done. When FORTRAN reads, it reads, and no other operation may be occurring at the same time. However, the 360 hardware is not so limited and COMPAT-F gives the programmer the ability to exploit this capability. In other words tape input and/or output operations may be overlapped with processing. Even a FORTRAN programmer can compute that as much as two-thirds of the running time may be saved by this feature.

#### Program Responses to I/O Errors

What is more irritating to a programmer than to have a job abort while reading the 99,999th record? The program has already processed 99,998 records and with two more to go an unreadable portion of tape is encountered. The programmer is not consulted—he has no choice—his job is aborted by FORTRAN. With COMPAT-F, on the other hand, the programmer is in charge—he may attempt to read the record backwards (sometimes with more luck than reading it forward)—he may skip the record and go on to the next one—or he may elect

to abort the program. The decision is, however, his.

#### Use with DOS, TOS or OS

COMPAT-F may be used with either DOS, TOS or OS FORTRAN. However, the advantages are greater with DOS or TOS. The I/O inadequacies of FORTRAN outlined in the previous sections mainly refer to DOS and TOS. Some, but not all, of these are eliminated by OS FORTRAN. For example, OS FORTRAN does not allow the overlapping or tape manipulation of COMPAT-F. Furthermore, the present requirement of a 256 K core will undoubtedly deter some installations from operating under OS.

#### Command Structure

Figure 2 illustrates the use of the two main commands of COMPAT-F—"Read Forward" and "Scatter."

Another feature of COMPAT-F tells how many bytes were actually read with each "read" command. If this number is designated by NBYTE, then  $NREC = NBYTE/30$  is the number of records read in this example. Thus, if the last block contained less than 50 records, the "scatter" command would handle the situation if the repetition factor (—50) were changed to —NREC.

In all, COMPAT-F has 18 com-



## EXAMPLE ILLUSTRATING THE TWO MAIN COMMANDS—READ AND SCATTER

A magnetic tape reel exists containing sales records for a large number of stock keeping units (SKU). There are 50 records in a tape block—each record contains 30 bytes with the following information:

Byte No.

|     |   |       |   |             |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |      |    |       |    |    |    |    |    |    |    |
|-----|---|-------|---|-------------|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|------|----|-------|----|----|----|----|----|----|----|
| 1   | 2 | 3     | 4 | 5           | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21   | 22 | 23    | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
|     |   |       |   |             |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |      |    |       |    |    |    |    |    |    |    |
| SKU |   | SALES |   | DESCRIPTION |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    | DATE |    | DEPT. |    |    |    |    |    |    |    |

The Description field is alphabetic; all other data is in packed decimal. Computations with this data require only the Sales of each record.

The "read" command is

```
CALL COMREF(TAPE6, INDATA(J), 1500)
```

This command reads 1,500 bytes, or one block (whichever is smaller) from Tape 6 into the array INDATA.

The "scatter" command is

```
CALL COMCAT(INDATA(J), - 50, - 30, 4, 7, 0 ISALES)
```

Bytes 4 to 7 of the first record of INDATA(J) are translated to binary and moved to ISALES(1). The zero in the argument list indicates that the read-in data was in packed decimal format. Then, bytes 4 to 7 of the second record of INDATA(J) are translated to binary and moved to ISALES(2). This process is repeated 50 times as designated by the optional repetition factor (- 50) in the argument list. The optional argument of - 30 indicates the number of bytes in each record.

FIGURE 2

mands which can be divided into 5 groups as follows:

**Group I—Control Commands—**The commands of this group are necessary for the operation of COMPAT-F. They supply the control framework required by the flexible symbolic identification of magnetic tape units and the overlap of input, output and processing.

1. **COMpat ASsign**—CALL COMASN (UNIT1,N1,UNIT2, ..., UNITK,NK)—The simple or explicitly subscripted variables UNIT1, UNIT2, ..., UNITK are established as COMPAT-F symbolic tape unit identifiers by association with the corresponding SYS numbers specified by N1, N2, ..., which may be literals, simple variable or explicitly subscripted variables of integer type.

2. **COMpat CHeck**—CALL COMCHK (UNIT) CALL COMCHK (UNIT,L)—The magnetic tape unit specified by the COMPAT-F symbolic unit identifier UNIT is checked for normal completion of its last operation, and waits if necessary. After a read (or read backwards), if the optional second argument L is present, the actual number of bytes read is stored in L. This command must be followed by a simple GO TO. When the last operation has an abnormal completion (e.g., end of file), COMCHK returns to the GO TO; otherwise it skips over the GO TO on its return.

**Group II—Elementary Commands—**The commands of this group are the COMPAT-F high-speed version of the tape commands normally available in DOS or TOS FORTRAN.

3. **COMpat WRite**—CALL COMWRT(UNIT,ARY,L) — The physical tape unit symbolically identified by UNIT is selected and the array ARY of L bytes in length is written on it as a single physical record.
4. **COMpat Read Forward**—CALL COMREF(UNIT, ARY,L)—The physical tape unit symbolically identified by UNIT is selected and L bytes of data or one block (whichever is smaller) is read into the array ARY.
5. **COMpat Back Space Block**—CALL COMBSB (UNIT)—The physical tape unit symbolically identified by UNIT is selected and back spaced one block.
6. **COMpat REWind**—CALL COMREW(UNIT) — The physical tape unit symbolically identified by UNIT is rewound.
7. **COMpat Write Tape Mark**—CALL COMWTM(UNIT)—The physical tape unit symbolically identified by UNIT is selected and an end of file symbol (tape mark) is written on it.

**Group III—Expanded Commands—**This group provides additional tape manipulation commands normally available only in assembly language.

8. **COMpat Forward Space Block**—CALL COMFSB(UNIT)—The physical tape unit symbolically identified by UNIT is selected and forward spaced one block.
9. **COMpat Forward Space File**—CALL COMFSF(UNIT)—The physical tape unit symbolically identified by UNIT is selected and forward spaced one file (to next tape mark).
10. **COMpat Back Space File**—CALL COMBSF(UNIT)—The physical tape unit symbolically identified by UNIT is selected and back spaced one file (to last tape mark).
11. **COMpat Read Backwards**—CALL COMREB(UNIT, ARY,L)—The physical tape unit symbolically identified by UNIT is selected and L bytes or one block of data (whichever is smaller) is read back-



wards into the array ARY. Execution of COMCHK on UNIT causes the automatic left justification of this data with ARY.

12. **COMpat Rewind and Unload**—CALL COMRUN(UNIT)—The physical tape unit symbolically identified by UNIT is selected, rewound and unloaded.
13. **COMpat ERase Gap**—CALL COMERG(UNIT) — The physical tape unit symbolically identified by UNIT is selected and a gap is erased.

**Group IV—Analysis Commands**  
—The commands of this group provide the (optional) capability of analyzing abnormalities occurring during input/output operations—including errors—and programming specific reactions.

14. **COMpat Analysis Mode**—CALL COMANM—The COM-PAT-F routines are modified (set to analysis mode) so that numerous abnormal conditions including input/output errors are returned to FORTRAN by the Channel Scheduler.
15. **COMpat CHecK**—CALL COMCHK(UNIT) CALL COMCHK(UNIT,L)—Checks, waits, left justifications, and abnormal returns are performed as in the non-analysis mode; however a data input/output error now causes an abnormal return.
16. **COMpat TeST**—CALL COMTST(UNIT,KODE) CALL COMTST(UNIT,KODE,L)—The physical unit symbolically identified by UNIT is selected and its status is determined; a status value is assigned the integer variable KODE accordingly. These values range from available through various types of busy to tape end conditions and input/output errors. If the optional third argument is present and the last operation is a read or read backwards the actual number of bytes read is stored in L. No left justification is performed on data read backwards.

**Group V—Data Manipulation Commands**—The commands of this group allow the gathering or scatter-

# COMPUTER APPLICATIONS

Long the world's leading supplier of aircraft engines, P&WA is now entering new market areas as its jet engines are successfully adapted to the industrial, marine and electrical power fields. This company growth combined with our increasing use of computer technology offers unmatched opportunities for computer oriented individuals with ambitions to move ahead.

These are our immediate career openings for individuals with Bachelor's degrees and up to eight years related experience:

- PROGRAMMERS
- PROGRAMMER ANALYSTS
- SYSTEMS ANALYSTS
- OPERATIONS RESEARCH ANALYSTS

If selected to join P&WA, you will be given assignments on such projects as a Full Production Information System; an Integrated Material Control System, including procurement, forecasting and scheduling; and

Automated Financial Analysis and Reporting. Hardware includes On-line Data Collection equipment and 360's with Teleprocessing, Serial and Random Access capabilities.

At P&WA you will find a staff made up of dedicated and experienced professionals with a history of developing successful major computer systems.

There are opportunities here for real professional challenge, with responsibilities coming early for those with ability. Because of our policy of promoting from within, there is excellent advancement potential. Starting salaries are good and there is an outstanding employee benefit program.


Your response will receive our immediate attention. Send your resume, along with salary requirements, to Mr. H. M. Heldmann, Professional Placement, Office A-43, Pratt & Whitney Aircraft, East Hartford, Connecticut 06108. We are an equal opportunity employer.

## Pratt & Whitney Aircraft

U  
A  
DIVISION OF UNITED AIRCRAFT CORPORATION







## MULTI-FACET PROBLEM SOLVING

The keenly honed perceptual acuity of different minds from a variety of disciplines, thinking alongside each other, brings unique insights into problem solving. At Booz•Allen Applied Research Inc., multi-faceted non-routine problems are the routine challenge. The assignments undertaken by the more than 500 professional staff members cover a broad spectrum of problem areas that require interdisciplinary involvement of a high order.

Typical assignments might include: simulation studies; math modeling; war gaming; information retrieval systems; applied mathematics; operations research. The range is wide; the probing is deep. Over 30 diverse disciplines interact to contribute to unique solutions.

There are no proprietary hardware interests to cloud the objectivity of the individual professional. The integrity of each staff member is unhampered. Personal fulfillment is limited only by the parameters of his self image because the challenges may take him to the edges of his own vision. Advancement can be either through channels of research or client contact. Personnel selection is necessarily limited to the scientist and engineer of rare quality.

Contact Mr. P. T. Paul, Manager of Staff Selection at the Shelbourne Hotel, Atlantic City, New Jersey during the Joint Computer Conference or write Mr. Robert M. Flint, Director of Professional Appointments.

**BOOZ•ALLEN  
APPLIED RESEARCH Inc.**  
135 South LaSalle Street—Room 1744  
Chicago, Illinois 60603, Phone (312) 372-1728  
CHICAGO/KANSAS CITY  
WASHINGTON, D.C./LOS ANGELES



An equal opportunity employer

ing of data into or out of the array format required by the COMPAT-F commands. In the case of packed or zoned decimal input the scattering is accompanied by the optional automatic conversion to binary and vice versa in gathering for output.

17. **COMpat sCATter**—CALL COMCAT(ARY,NF1,NL1,LOC1,NAME1,NF2,NL2,LOC2,NAME2,...,NFK,NLK,LOCK,NAMEK)—With ARY as the input array the general parameter sequence—NF,NL,LOC,NAME—which is repeated as required, has the following significance: The field (bytes) of ARY between NF (the First byte of this field) and NL (the Last byte of this field) inclusively is moved into the field starting at byte position LOC in NAME. When LOC is zero (or minus one) the specified field of ARY is taken as packed decimal (or zoned decimal) and is moved into the word at NAME as a FORTRAN integer in binary format. The general parameter sequence may be prefixed by an optional repetition factor (preceded by a minus sign) to effect a chained scatter in the following manner: —NR,NF,NL,LOC,NAME. In this case NAME must be an array name.

18. **COMpat GATheR**—CALL COMGAR(ARY,NF1,NL1,LOC1,NAME1,NF2,NL2,LOC2,NAME2,...,NFK,NLK,LOCK,NAMEK)—With ARY as the output array the general parameter sequence —NF,NL,LOC,NAME—has the same significance as in COMCAT except that the movement commences with the LOC byte in

NAME and consecutively fills the field at ARY having NF as its First byte and NL as its LAST byte, inclusively. When LOC is zero (or minus one) the word NAME is taken as a FORTRAN binary integer and is converted to packed decimal (or zoned decimal) during the move to the specified field of ARY. The repetition factor applies as before.

### Programmer in Command

As with any language, the clever programmer can use COMPAT-F to better advantage than the not-so-clever programmer. In COMPAT-F the programmer is "more in command" than he is in FORTRAN I/O. There are, therefore, certain things that he must know. For example,

1) Does the tape have a tape mark at the beginning? If so, he must have a "forward space file" statement before he attempts to read the tape.

2) Does the tape have a label? If so, he may either check the label or "forward space block" and skip it.

3) Are the numeric fields written in packed decimal, zoned decimal, or binary? If packed decimal or zoned decimal are used in the numeric fields, then the scatter with binary conversion is mandatory.

In general, the programmer must know the tape fairly well. With FORTRAN I/O, for example, he need not know the answer to any of the above three questions—FORTRAN "takes care of him." The problem is that FORTRAN over-protects him and, in so doing, takes away some of the powerful features of the 360 hardware. COMPAT-F gives him back these features. ■

☐ Please change my address ☐ Please enter my subscription

**ATTACH LABEL HERE** FOR CHANGE OF ADDRESS  
If you're moving please let us know 5 weeks before changing your address. If you do not have your label print your old address below.

Old home address \_\_\_\_\_  
City, State \_\_\_\_\_ (Zip)

Name \_\_\_\_\_

New home address \_\_\_\_\_

City, State \_\_\_\_\_ (Zip code)

☐ Technical Degree  
☐ Non-Technical Degree  
☐ No Degree  
prime experience in what industry?  
year born \_\_\_\_\_  
☐ I have analog/hybrid exp.


My Specialty \_\_\_\_\_

Please fill out the blanks below whether you are changing your address or requesting a new subscription.

Mail to: Software Age, 1020 Church St., Evanston, Ill. 60201

**SUBSCRIBER SERVICE**





# Program yourself for progress.

Flexibility, diversity, challenge . . . are three vital ingredients for progress you'll find in abundance at AC Electronics. Why? Because, here at AC, you'll have a crack at a variety of jobs on some of today's most exciting and advanced projects. What's more, you'll be in on the ground floor of rapidly expanding computer activity. Example: a Hybrid Simulation System for future space flights already in the works. If you have a degree, plus two or more years' experience, look over the career opportunities listed below. Then write, phone or wire: Mr. R. W. Schroeder, Dir. of Professional and Scientific Employment, Box 507, AC Electronics Div., Milwaukee, Wisconsin 53201.

## Real Time Programmers —

Perform system programming for special-purpose digital and hybrid airborne computers to achieve optimum system performance. Participate in check-out and engineering analysis of programs.

## Simulations Programmers —

Design programs to perform math simulations and modeling of systems and vehicles. Pre-mission check of validity of systems and program accuracy performed on large-scale digital and hybrid computers.

## Design and Programming Aids —

Develop highly automated systems for designing, fabricating, and programming small special-purpose computers, including the development

of programs and techniques to code, assemble, simulate and analyze operational programs.

## Scientific Programmers —

Analyze and prepare computer programs for solution of engineering and scientific problems utilizing the I.B.M. system 360. Applications include missile trajectory simulation, flight test data reduction, design automation and automatic check-out systems for airborne computer software.

## AC ELECTRONICS



MASTER NAVIGATORS THROUGH TIME AND SPACE MARK OF EXCELLENCE

An Equal  
Opportunity  
Employer



# Encoding from Alphanumeric Names to Record Addresses

| ORIGINAL INDEX<br>ITEM | TRIPLCT            |
|------------------------|--------------------|
| TOIL                   | 4L <sub>0</sub>    |
| TOILE                  | 4L <sub>1</sub>    |
| TOILER                 | 6H <sub>0</sub>    |
| TOILET                 | 6T <sub>0</sub>    |
| TOILETHY               | 7H <sub>0</sub>    |
| TOILETIC               | 7T <sub>0</sub>    |
| TOILEFUL               | 7F <sub>0</sub>    |
| TOILSOME               | 7S <sub>0</sub>    |
| TOILAVORN              | 5W <sub>0</sub>    |
| TOIT                   | 4T <sub>0</sub>    |
| TOIL                   | 9K <sub>0</sub>    |
| TOIL                   | 4L <sub>0</sub>    |
| TOIL                   | 4Q <sub>0</sub>    |
| TOIL                   | 3L <sub>0</sub>    |
| TOILAN                 | 049L <sub>0</sub>  |
| TOILROTH               | 4H <sub>0</sub>    |
| TOLD                   | 4D <sub>0</sub>    |
| TOLE                   | 0604E <sub>0</sub> |
| TOLEDO                 | 5D <sub>0</sub>    |
| TOLERABLE              | 5H <sub>0</sub>    |
| TOLFRANCE              | 7N <sub>0</sub>    |

*Dr. Thomas C. Lowe*

Informatics Inc.  
4720 Montgomery Lane  
Bethesda, Maryland

This work was performed at the Information Systems Laboratory, The Moore School of Electrical Engineering, University of Pennsylvania. It was supported by the Army Research Office (Durham) under contract number DA-31-124-ARO-D-352 and by the Air Force Office of Scientific Research under contract number AF-49(638)-1421.

■ In many applications it is necessary to obtain an absolute memory address for a record in external storage (such as disk) when given an alphanumeric name. Some approaches to this problem will be presented below.

This problem in general is called the encoding problem; the given alphanumeric name is called a *term*. It is not the purpose of this article to present any general solution, but rather what follows is a brief review of some well-known techniques, and an introduction of a new one.

Many workers have investigated problems in the area of address encoding. The basic problem is easy to understand: for example, assume that a term consists of up to 28

## FEATURES OF DECODING MECHANISMS

|                                                        | Symbol<br>Tree | Key-to-Address<br>Transformation | Balanced<br>Tree | Triplet<br>Search |
|--------------------------------------------------------|----------------|----------------------------------|------------------|-------------------|
| Processes Variable<br>Length Term                      | Yes            | Yes                              | No               | Yes               |
| False Hits Possible<br>When Term in File               | No             | Yes                              | No               | No                |
| False Hits Possible When<br>Term Not in File           | No             | Yes                              | Yes              | Yes               |
| Extensive Character<br>Processing Required             | Yes            | No                               | No               | Yes               |
| Easily Partitioned for Few<br>External Memory Accesses | No             | —                                | Yes              | Yes               |
| Easily Updated                                         | Yes            | Yes                              | No               | No                |
| Large Fast Memory<br>Requirement                       | Yes            | No                               | No               | No                |



characters from an alphabet of 37 symbols. There are then about  $10^{44}$  possible terms.

In a typical situation at most  $10^4$  or  $10^5$  terms will actually be used, so that the encoding problem is one of mapping the index items used into appropriate external memory addresses.

Several schemes for encoding will be considered in brief. Not all of these methods were originally proposed for this purpose, but they are applicable to it.

It is necessary that any system design be particularly oriented toward the characteristics of the equipment available. Not only do such factors as word size, fixed word length operation as compared to variable word length (or character oriented), and character handling features in fixed word length machines enter the picture, but as Bowlden<sup>1</sup> has pointed out, some older machines with table look-up features such as the IBM650 and the Control Data RPC-4000 have instructions that may make vast differences in the methods used. Associative memory devices are not considered here.

### Symbol Trees

In symbol trees each node represents a symbol (that is, a single character) of a term and branches lead to following symbol nodes. If two or more terms have the same initial symbol sequence, they share an initial path down the tree until the first symbol differentiating the two symbol sequences is encountered. The average branching factor at the nodes and the tree depth may be controlled by considering an index item as a string of bits, and generating a new symbol sequence by partitioning the bits in a way different from the original character representation scheme. The size of the alphabet used in the tree representation can thus be varied. Fredkin has proposed the use of two bits per node in his "binary Trie"<sup>4</sup>. In the decoding application being presently considered, the external memory address could be placed at the last node of every path through the tree corresponding to an index item.

The efficient mechanization of such a tree structure has been given considerable attention. Susenguth<sup>11</sup>

(Continued on page 28)


## NCR

creator of the advanced

## CENTURY SERIES COMPUTERS

offers you

## NEW-GENERATION OPPORTUNITY in Los Angeles



With the introduction of the world's most advanced family of computers, the Century Series, NCR offers you opportunity to move ahead today to new-generation technology. Join the men responsible for the industry's newest concepts in system programming, in high-speed thin-film memories, in monolithic integrated circuitry, in disc memory innovation, in automated production techniques. ☐ NCR Electronics Division is the largest commercial computer manufacturing facility in Southern California. It offers you stable, non-defense activity in an outstandingly professional environment. Your job and your future: the creation of business automation for NCR markets in 121 countries. ☐ Challenge, opportunity and Southern California are waiting for you. Why let another generation go by?

### CURRENT OPPORTUNITIES SYSTEMS FORMULATION

Several intermediate and senior positions are available.

Will develop functional specifications for advanced state-of-the-art equipment emphasizing digital communication, multi-processing, multi-programming and time sharing as applied to large commercial computers. Requires degree and in-depth related experience.

### SYSTEM SPECIALIST

Will do original design and development in complex operating system for large scale multi-

computer systems and will coordinate the efforts of programmers in relation to over-all project completion. Degree and related experience in software development and programming required.

### SYSTEMS ANALYSTS

Responsibilities will include systems analysis in manufacturing, financial and administrative areas. Will work closely with programming group in installing new systems. One year's systems analysis experience required.


### SOFTWARE PROGRAMMERS

Will develop software for various input/output routines. Prefer college-trained applicants with previous machine language or large file computer programming experience.

### ARRANGE NOW FOR SJCC INTERVIEW

To arrange a confidential interview at the Spring Joint Computer Conference in Atlantic City, April 30—May 2, contact the NCR representative at the Claridge Hotel, Telephone (609) 345-1281. If you do not plan to attend SJCC, please submit resume to:

STEVE WILLIAMS



The National Cash Register Company  
ELECTRONICS DIVISION  
2873 W. El Segundo Blvd., Hawthorne, Calif.  
Telephone (213) 777-7346  
An equal-opportunity employer



# GAME THEORETIC APPLICATIONS

James P. Dix

Programmer/Analyst  
Control Data Corporation  
Systems Programming Section  
Analytical Services Department  
Los Angeles Data Center

PART II of a two part discussion of gaming which draws heavily on the defense problem for its examples. Geometrical, Monte Carlo and other methods are applied to the solution of the model problem which was developed in Part I.

## SIMPLE COMPUTER MODEL— GEOMETRICAL APPROACH

This model's objective is to present a descriptive picture of the "goodness" of a siting. It is not intended to be a mathematical solution. It must be, however, an equation, for example:

$$(3) \quad g_s = \sum_i w_i m_i \quad \text{where:}$$

$g_s$  = goodness of the site  
 $m_i$  =  $i^{\text{th}}$  merit factor  
 $w_i$  = weight of  $i^{\text{th}}$  factor in the overall picture

After some consideration, two merit factors can be arrived at.

$m$  : an indicator of the number of people that are not defended by a siting  
 $v$  : the volume of space that measures the imbalance of coverage of the  $p_w$  surface.

In this model, we cannot perform any simulation or any optimization analyses since we will be looking only at the capabilities of the defense under a specific attack given the required number of ABM's in consideration of the balanced defense approach. That is, we will assume that the unanswered questions fall out as corollaries to the theorem that if we answer the question: How well are we defending the  $p_w$  surface?, then we have reached the game-theoretic best. The goodness here is defined as a geometrical good.

Let's look at the city once more and see what restrictions are imposed by this intercept surface (Figure 8).

The  $d_a$  or decision altitude which has been set by the firing doctrine is a measure of the discrimination and target tracking capabilities. It says that launching the ABM before the

ICBM reaches this altitude would handicap the defense by wasting missiles.

The  $l_a$  or launch altitude which is computed as a function of the intercept point and the time to intercept is used to compute the surface of last penetration. Once the object has penetrated this surface, no site could launch any missiles to intercept the object and prevent its penetration of the  $p_w$  surface.

The next question is a complicated expression which yields this launch altitude. I mention it only for the readers who are interested.

$$(4) \quad l_a = h(t_o + t(i_a)) \quad \text{where:}$$

$t_o$  = time to intercept  
 $i_a$  = intercept altitude  
 $t(i_a)$  = time function which gives the time to impact as a function of altitude  
 $h(t_o + t(i_a))$  = altitude function (inverse of the time function) which gives altitude of object as a function of time to impact

Note from inspection of Figure 8 that there is an opening or a weak spot to the defense. Note further that it is near the heart of the city. But also notice that the opening is quickly closed if (1) we could move the intercept altitude down or (2) move the decision altitude up. The question that comes to mind then is how can we measure this weakness.

One way to measure the imbalance of coverage of  $p_w$  is by calculating the signed volume of space between the  $d_a$  and the  $l_a$  as a weighted function of  $d_a$ , and since  $d_a$  is a horizontal plane (for local defense), we have the formula:

$$(5) \quad \bar{v} = \frac{\int_{d_{a_1}}^{d_{a_2}} wvd(d_a)}{\int_{d_{a_1}}^{d_{a_2}} wd(d_a)}$$

$v$  = the volume of space between  $l_a$  and  $d_a$ , where  $v = v_o + A^*(d_a - d_{a_o})$  where  $v_o$ ,  $A$ , and  $d_{a_o}$  are constants  
 $w$  = the weight associated with  $d_a$   
 $d_{a_2}$  and  $d_{a_1}$  = the limits chosen for  $d_a$

Another way to measure this vulnerability is to ask how many people are affected by the hole in the defense. The answer to this question is unfortunately not easy to obtain by this approach. For example, by intercepting lower, you could obtain such a measure by subtracting  $X$  number of people from the balanced defense plan. However, by doing so, you would disturb the entire game-theoretic balance of intercepting on the  $p_w$  surface. About the best you can say is that with this  $d_a$ , this siting plan fails.



PLACE  
5¢  
STAMP  
HERE

software age

press tech inc.

1020 CHURCH STREET

EVANSTON, ILLINOIS 60201



Gentlemen:

- ☐ I am not presently receiving a copy of **software age** addressed to me. Please enter my free subscription.
- ☐ Please send advertising rates. I have included my company affiliation, company address and title in box.

-----  
Name

-----  
Home Address

-----  
City

-----  
State

-----  
Zip Code

If you wish advertising rates, please fill out.

----- (-----)  
Title

AC

-----  
Telephone

-----  
Company Name

-----  
Company Address

-----  
City

-----  
State

-----  
Zip Code

To receive **software age**, circle the most appropriate number and letter below to describe your present position and experience.

**MY SPECIALTY:**

- 1—Systems Analysis  
2—Math/Math Analysis  
3—Operations Research  
4—Scientific Programmer  
5—Business Programmer  
6—EDP Management  
7—EDP Instructor  
8—EDP Consultant  
9—-----  
other, incl. EDP student,  
operator, technician, etc.

**PRIME EXPERIENCE IN:**

- 1—Aerospace/Defense Industry  
2—Non-Defense Industry  
3—Commercial/Finance  
4—Research Organization  
5—Govt./Military  
6—EDP Consulting  
7—Transportation/Utilities  
8—Education/Library  
9—-----  
other, specify

**I WAS BORN:**


- A—1920 or before  
B—1921-25  
C—1926-30  
D—1931-35  
E—1936-40  
F—1941-45  
G—1946-50  
H—1951-55

**I HAVE:**

- ☐ Technical Degree  
☐ Non-Technical Degree  
☐ No Degree

☐ Check here if you have analog or hybrid experience.





## Sikorsky Aircraft

U  
A

DIVISION OF UNITED AIRCRAFT CORPORATION

STRATFORD, CONNECTICUT

An Equal Opportunity Employer

... in our

## SCIENTIFIC & COMMERCIAL COMPUTER-BASED

## ANALYSIS & DESIGN SYSTEMS

You can. You'll like what you see at Sikorsky Aircraft—a company dedicated to producing the most advanced VTOL airborne and surfaceborne transportation systems.

And you'll like working with a select group of stimulating, top-talent people . . . on abundant and provocative challenges. You would be applying your professional talents to specifying, designing and implementing advanced computer-based technical and commercial systems.

Our current equipment includes Univac 1108's and IBM 360's with Graphics and Teleprocessing.

Current and planned applications include—

**Scientific:** Man/Machine Interactive Graphics in Engineering Analysis and Design.

Development of Batch Programs and Systems in all engineering disciplines.

**Commercial:** Data Base and Real Time applications in Accounting, Manufacturing, Purchasing, Inventory Control and other related areas.

We have exceptional assignments at all levels of experience for:

COMPUTER SYSTEMS  
PROGRAMMERS AND ANALYSTS  
FOR BOTH COMMERCIAL  
AND SCIENTIFIC FIELDS

You and your family will find the unique cultural and recreational advantages of pleasant Connecticut to be abundantly satisfying. And our interest in your continuing professional development is exemplified by our corporation-financed Graduate Education Programs. They are available at these fully accredited schools: Bridgeport • Brooklyn Poly • CCNY • Columbia • Connecticut • NYU • Rensselaer (Hartford Grad. Center) • Stevens • Trinity • Yale.

Send your resume in confidence, stating salary requirements, to Mr. Leo J. Shalvoy, Professional Employment.



With others, it might work. The formula we are looking for is then:

$$(6) \quad \bar{m} = \frac{\int_{d_a}^{d_a} w m d(d_a)}{\int_{d_a}^{d_a} w d(d_a)} \quad \text{where:}$$

$m = 0 \text{ or } 1 \text{ depending on } d_a;$   
 $\text{if } d_a < d_a, \text{ then } m = 0$   
 $\text{if } d_a \geq d_a, \text{ then } m = 1$   
 $w, d_a, \text{ and } d_a \text{ are as before}$

The next step is to be able to compute these merit factors considering all types of threats. The three variables considered will be reentry angle,  $a$ , reentry azimuth,  $\theta$ , and weapon yield,  $y$ . The formula for  $\bar{v}$  becomes then:

$$(7) \quad \bar{v} = \frac{\iiint w v d d_a d a d \theta d y}{\iiint w d d_a d a d \theta d y} \quad \text{where:}$$

$w = \text{considered as a weight function of each variable}$

The equation 7 is merely the mathematical way of describing the sentence "By 'combining' all the variables together, we can look at the final merit factor and come up with our decision." This 'combining' must be rigorously followed because (1) every statement must be verified by a certain amount of logic or mathematics and (2) no computer program could possibly understand the laymen's terms.

A similar equation can be formulated for  $\bar{m}$ .<sup>1</sup>

Now to the computer program. The Geometrical Approach is a very simple approach insofar as the computer goes.

In finding the volume  $v$  for the purpose of solving equation 7, in principle, is straight forward. Volume is equal to Area times the Height.

$$(8) \quad V = A (\bar{I}_a - d_a) \quad \text{where:}$$

$A = \text{area of the plane cut out by the defended area}$   
 $\bar{I}_a = \text{average altitude of the } I_a \text{ over some projection of this defended Area}$

In a computer program written in FORTRAN what is done is as follows:

Setup a two dimensional array HEQU which describes the  $p_w$  surface. HEQU(I,J) represents the height above the surface at which  $p_w$  people would be killed if a weapon of yield  $y$  were burst there. The point (I,J) represents a grid point, or a grid square with area  $A_g$ . If no such altitude exists for some (I,J), set HEQU(I,J) = 0.

The defended area A of equation 8 falls out immediately and has the equation

$$(9) \quad A = (\sum_{I,J} 1) * A_g \text{ which is easily computed.}$$

$$\text{HEQU}_{I,J} \neq 0$$

The next step is to calculate for each grid point (I,J) the launch altitude for each site. The minimum is then saved. As given before the launch altitude is determined by knowing  $t_o$ , the time to intercept and HEQU(I,J), the intercept altitude. The functions  $t$  and  $h$  of equation 4 must be fairly simple to compute or a tremendous amount of machine time can be eaten up. Hence the best procedure is to do all trajectory calculations (offense and defense) long before the volume calculations are done and to save the results in the form of a set of coefficients which are, perhaps, produced by a least square method.

This procedure is recommended for simulations which are called event oriented as opposed to clocktime oriented. The reduction in speed is usually enormous. The accuracy, however, can be somewhat limited. I will spend more time on this subject when discussing the Monte-Carlo approach.

We can now see that:

$$(10) \quad \bar{I}_a = \sum_{I,J} I_a (\text{minimum's}) / n \quad \text{where:}$$

$$\text{HEQU}_{I,J} \neq 0$$

$$n = \sum_{I,J} 1 \quad \text{as in the Area equation 9.}$$

$$\text{HEQU}_{I,J} \neq 0$$

Having done this for every reentry angle, reentry azimuth and weapon yield, we can obtain the answer as per question 7. The number of calculations which are needed of those which are time consuming (those involving missile trajectories) amounts to:

$$(11) \quad n_c = n_g * n_s * n_a * n_\theta * n_y * n_d \text{ where:}$$

$n_c = \text{number of sets of calculations}$   
 $n_g = \text{number of grid points such that HEQU (I, J) } \neq 0$   
 $n_s = \text{number of sites}$   
 $n_a = \text{number of reentry angles}$   
 $n_\theta = \text{number of reentry azimuths}$   
 $n_y = \text{number of weapon yields}$   
 $n_d = \text{number of deployments}$

To achieve any kind of accuracy the number of probable sets of calculations should be greater than  $n_c$ .

By using equation 11, the number of sets of calculations for a small hypothetical city would be  $n_c = 1000 * 3 * 3 * 3 * 3 * 3 = 243,000$  sets. To insure that we can safely solve this problem in, say, one hour of computer time, we must be able to perform each set of calculations in roughly .015 seconds. Under the above scheme this is moderately easy to do on the Control Programming time (assuming background



model is already developed) is very minimal; perhaps 120 manhours.

In closing, this approach can be very useful in establishing a play that will work in most cases and will not cost a great deal to use.

#### THE MONTE-CARLO APPROACH

The purpose of this approach is to reduce a complicated strategy to a simple and understandable curve which can produce for you a merit figure. It makes use of the confidence level that is so often annoying when solving real problems. It answers satisfactorily the question: How many people will die if I push this button? Complicated chains of different logic can be linked together by merely playing a game in which you simulate conditions by throwing switches on or off depending on random numbers.

The merit factor described here is  $P_a$ , the price of admission, or the number of ICBM's necessary to penetrate.

In the Monte-Carlo Approach, we are free to bring into play all manner of hazards, both offense and defense, which under the Geometrical Approach would have been impossible. Some of these are ABM stockpile depletion, ABM aborts, miss distance at intercept, warheads-decoys problem, warhead dispersal, and intercept geometry.

You need a firing doctrine or a set of rules by which you should play under every set of circumstances. Not all plays are made but the logic must be there. Here again, though, we maintain our theory that we must site to defend the  $p_w$  surface and hence that our intercepts must be on that surface.

The Monte-Carlo method must establish a simulation procedure because of the importance of the interdependence of events over a period of time and the need to sample this interdependence at any moment in its history.

There are two types of simulations: (1) event oriented and (2) clock-time oriented. Both types accomplish the same purpose but in a slightly different manner.

The event oriented simulation is the easier of the two since you establish a chain of happenings in advance and determine the success or failure of the simulation by merely looking at the resultant happening.

In a time oriented simulation we must, at each clock pulse, check for success or failure. When timing is most important (e.g. the ABM and the warhead must be at the same place at the same time and the ABM burst must be so timed), it is desirable to use this type of simulation. You will then be able to observe a truer test of your system. However, it turns out that the time oriented simulation is good only for "feasibility studies" or "demonstration of effectiveness" and not for analysis work. It is too time consuming (on the computer) and therefore must be restricted to typical cases.

# Mobil

## International Computer Technology Consultant

Due to our expansion and the increasing sophistication of third-generation equipment, our International Division is offering a unique New York-based position in its Field Systems Support Department.

Our new consultant will have broad-scope advisory responsibilities to international management. Specifically, these are: to provide guidance on the latest developments in hardware, software, communications and operations for our worldwide affiliates; to participate in formulation, specification and evaluation of hardware and software for both commercial and technical/scientific use; to assist in implementation of upgraded equipment and new versions of operating systems and high level languages. Finally, he must be attuned to the concept of the computer as a decision-making tool for management.

The qualified candidate should have a Master's degree in computer science, engineering, mathematics, science or a related discipline. His experience should include 3 or more years in hardware/software, encompassing System 360, OS/DOS and COBOL/FORTRAN. He should be capable of making oral or written presentations to management. The international character of this work demands an ability to work independently with groups of various nationalities and a willingness to travel abroad on short assignments. Fluency in at least one foreign language is highly desirable.

This position affords advancement to other areas of International Systems, to line management with possible relocation abroad, or to assignments in other divisions. To explore this opportunity, send your detailed resume and salary requirement, in confidence, to Mr. Paul J. Harbaugh, Department 3458, 150 East 42nd Street, New York, New York 10017.

## Mobil Oil Corporation

*An equal opportunity employer*






Figure 8




Figure 9

Ours will be event oriented and so we proceed to describe the events. In this approach, we can put in as many details as we need. However, for simplicity's sake, I only choose five events with meager descriptions.

- (1) Detection and track
- (2) Assignment of site to object, computing intercept point and proper salvo
- (3) Discrimination
- (4) Computation of launch altitude
- (5) Determination of intercept

Due to the fact that this approach is much more time consuming than the one described in the Geometric Approach, we cannot afford to have trajectories intersect every grid square

of the  $p_w$  surface; therefore, we select various likely "aimpoints" in this defended zone at which their side would aim their ICBM's. We can, perhaps, weight them, but we still intercept on this  $p_w$  surface.

The way this method is implemented is as follows:

- (a) For every threat condition: aimpoints, trajectory, and warhead yield perform the next tasks
- (b) Play X number of games (described below) until you obtain a set of points corresponding to an S curve (also described below)
- (c) Perform smoothing to obtain the S curve and compute the  $P_a$

# NCR

## PROFESSIONAL PROGRAMMER/ANALYST

### How Is Your Journey Progressing?

Has your road to success been a smooth one? Or, have you had a few detours along the way? If you find you are among the group that is by-passed when promotion time rolls around, then perhaps a change in route is in order.

### Why Not Give NCR An Opportunity To Discuss Your Career Path!

Attractive starting salaries and a professional atmosphere in which to continue, to develop and advance your career will be offered to all applicants who qualify for current openings in our EDP Division. In addition to OPPORTUNITIES a full range of benefits are offered.

For confidential consideration, send letter or resume to:

Robert L. Creviston  
Executive & Professional Placement  
The National Cash Register Company  
Main & K Streets  
Dayton, Ohio 45409

AN EQUAL OPPORTUNITY EMPLOYER

LOOK FOR US AT THE SPRING JOINT COMPUTER CONFERENCE



- (d) Perform some summation to link up all the threats

Since the purpose of a game is to obtain an S curve, I will first describe this curve. The probability of success of some happening many times depends on the number of times a particular event takes place. This "depending" is a function which when mapped looks like an S. (See Figure 9). The regularity of occurrence of the curve in analysis work is sufficient excuse to go into more detail.

Suppose, for example,  $n$  in Figure 9 represents the number of rocks thrown at a snake in an attempt to kill it. The probability for actually killing the snake should increase as the number of rocks thrown at him increases. Further, since *any* rock could do a specified job, the curve begins to rise rapidly. However, since the snake can only be so dead, the curve has to taper. This S curve is merely an expression of the normality of distribution of misses or failures which is well-known in statistics.

The same is true if  $n$  is the number of ICBM's and  $p$  is the probability of penetration, which our game's will provide.

A game is played by selecting a particular value for  $n$  and determining by random sampling whether or not the offense has penetrated. By playing enough games at that level of ICBM's, we can establish a probability of success for that  $n$  and be able to place a point on the curve. By doing this for every  $n$ , we can obtain the desired curve. Again, unfortunately, due to time considerations, we cannot afford playing games at every level or, in fact, the same number of games at all levels unless some small number of games were decided upon. Because we are only interested in a certain portion of the curve, namely around the value that gives the price of admission,  $P_a$ , we are led to another method for calculating the points on the curve. But first a word about the important part of the curve.

From what was said before we are interested in the  $P_a$ , or the number of ICBM's needed to penetrate but by the above, we see that penetration is a probability. By what means do we then determine  $P_a$ ? Figure 10 gives the answer.

We want the place on the curve where if  $n$  goes beyond this number, we improve our probability very little and if  $n$  goes below this number our probability drops off quite a bit. This point is usually called the knee of the curve. It is obtained by sliding a line with some slope  $m$  up the  $p$ -axis until it becomes tangent to the curve. The point of tangency is taken to be the place where  $P_a$  is obtained. The slope of the line is a function of the "cost" of extra ICBM's versus the "importance" of the penetration. The higher the slope, the costlier the missiles; the lower the slope, the higher the importance of penetration. Therefore, we want to play most

# Whirlpool's a Natural



Just like 7 on a roll of the dice. We are a company that offers no substitute for the professional interested in positive opportunity, challenge and recognition.

We are now seeking mature, imaginative men in systems who want an environment conducive to career fulfillment in our distribution and service function.

## TECHNICAL ANALYST

This position requires a man capable of developing new concepts for computer usage along with researching, developing, installing and evaluating new and revised systems and techniques in the effective use of computer, unit record or communications equipment facilities. As a project coordinator, the successful candidate will assume the responsibilities and authority for the direction of staff activities and assignments.

## SYSTEMS ANALYST

Scope of responsibilities include the review of methods and procedures to determine the feasibility of computer, unit record or communications equipment application. Duties also encompass preparation of specifications, procedures and proposals in the areas of system design and systems implementation.

For both positions a BS or BA in Business Administration, Accounting, Engineering or Computer Sciences preferred, but will consider non-degreed man possessing appropriate practical experience. Two to five years in-depth experience in data processing, programming, systems analysis or related fields along with some 3rd generation experience necessary.

Send complete resume in strict confidence to:

Mr. Richard Mahrling, Personnel Manager  
Administrative Center  
Benton Harbor, Michigan 49022



# Whirlpool

An Equal  
Opportunity  
Employer






Figure 10




Figure 11a




Figure 11b

of our games near the knee as that is the point of interest.

A well known procedure for the game playing is as follows:

1. Play a game with  $n = 1$ ; add 1 to the number of games played at 1.
2. If you win (from a defense point of view) add  $4 * q_n$  (integerized) to  $n$ .  $q_n$  = probability of loss at  $n$  and assumed 1 at beginning. If you lose, add 1 to the number of games played at  $n$ ; subtract 1 from  $n$  unless  $n = 1$  in which case do not change  $n$ .
3. Play the game at  $n$  and add 1 to the number of games played at  $n$ ; compute

$q_n$  and unless the number of games is exhausted, go to 2.

4. When all the games are over, you typically will have a table of probabilities looking like Figure 11a. This data is then smoothed resulting in Figure 11b.

Although the two figures may not resemble one another remember that the same number of games were not played at each  $n$ .

Now to the games themselves. Since this is an event oriented simulation, we will not consider such multiprocessing defense problems as radar sweeps of sky and tracking capabilities. These multiprocessing and time sharing problems can be implemented more in the time oriented simulations.

## DEBUGGING ...your career?

The "career debugging" expertise of MANAGEMENT SCIENTISTS is a must! Our consultants examine your short and long range potential, diagnose your problems, and help you formulate a realistic career strategy that can be implemented.

Computing is everywhere. It follows that you need to know WHERE the action is—WHERE your career future lies. As consultants to leading corporations on the national and international scene, we've programmed a lot of futures.

And MSI is ready to flowchart yours NOW. Contact us in complete confidence, specifying salary and geographic preferences. We will put our knowledge and experience to work for you immediately. Best of all, our clients assume all expenses.

# MSI

Management Scientists, Inc.  
101 Park Ave.—Dept. SA4-68  
New York, N. Y. 10017  
(212) 532-7710

Exclusively: DATA PROCESSING & MANAGEMENT SCIENCES  
Career Planners—Recruitment Specialists

It's free. The new 1968 Edition.

## Our National Computer Salary Survey and Opportunities Analysis.

This is it. The all-new 1968 edition of Source Edp's FREE 20-page Computer Salary Survey and Opportunities Analysis. It's a summary of computer salaries by 24 separate levels of professional and managerial experience ranging up to \$75,000. Plus a comprehensive analysis of current trends in computer employment.

All of this information has been compiled, analyzed and put together by some of the most knowledgeable people in the business. The people at Source Edp. Source Edp is the only placement firm staffed by computer professionals for computer professionals. It's their business to know the data processing field.

To get your free copy of the 1968 Edition of Source Edp's Computer Salary Survey and Opportunities Analysis just circle the reader inquiry card.

To speed delivery write directly to:

source  edp

Where computer professionals place computer professionals

Chicago—David B. Grimes, 100 S. Wacker Drive (312) 782-0857  
Detroit—Charles S. Walther, 2990 West Grand Blvd. (313) 871-5210  
Los Angeles—Robert C. Davis, 3470 Wilshire Blvd. (213) 386-5500  
Minneapolis—Fred L. Anderson, 507 Marquette (612) 332-8735  
New York—Edward R. Golden, 1414 Ave. of the Americas (212) 752-8260  
San Francisco—Richard O. Clark, 111 Pine Street (415) 434-2410

Client companies assume our charges.

For more information, circle No. 10 on the Reader Service Card



This leads to engaging each object as it is detected. If necessary, give it a probability of detection that varies as the range of the object and draw a random number at a critical point. Detection is important since through this you can determine where the intercept will be. The aimpoint that is selected to bombard is offset because of two criteria: (1) cloud pattern and (2) accuracy-of-hitting-aimpoint indicator. The first has been preset by offense, but the second must be obtained by drawing a random number which will yield actual trajectory. The pre-launch computations are performed and a site is selected according to some rule. This leads to a computation of the launch altitude as in the Geometric Approach.

If we have no more missiles left from any site and if any of the warheads remaining successfully penetrates, we score a loss for this game. This last result depends on actual aimpoint and reliability of warhead.

After establishing the assignment doctrine, we determine whether we must launch before we can discriminate or whether we can allow the object to penetrate assuming that it has been determined to be a decoy. We must be very certain that assumed decoy is not a warhead before we allow it to penetrate.

Now we must insure a certain reliability of our intercept; hence we must, if necessary, fire more than one missile at the target. The number of such is called a salvo and depends on the particular accuracy of intercept (or miss distance) at the intercept point (also on abort probability). This accuracy depends on the geometry of the intercept point. In our pre-launch calculations, then, we determine how many missiles we should send up (if we have them). As each missile is fired, random numbers are drawn and we determine if a success or failure happened. Actually, we need not waste our time with these calculations when dealing with decoys except insofar as the stockpile depletion occurs.


If any warhead penetrates, the game is lost. Every warhead of every ICBM is thus engaged. If all are knocked down, the game is won.

After determination of the price of admission via playing these games as directed, the summation takes place with respect to all the threats as in the Geometric Approach. We then obtain our merit figure.

Computer time is much more important here since one game may take precious seconds. If say, 50 games were played for each aspect of the threat and the same number of threats were considered as in SIMPLE COMPUTER MODEL—GEOMETRIC APPROACH, the number of games actually played,  $n_c$ ,  $> 50 * 20 * 3 * 3 * 3 * 3 * 3$ , is greater than 243,000 games. If each game lasted one second, the number of hours of computer time would be around 67 hours for determining the correct deployment. This is far too much time and as it turns out, we must take away many of the niceties of the model. There

## "If I were a Computer Programmer..."

"... I would want to be certain that I was earning a top salary commensurate with my ability. I would want to be aware of new and greater opportunities for growth, and with growth companies. I would want to be sure that my potential in the data processing field was being developed to the fullest. I would want the experience and advice of computer specialists who have a demonstrated record of success." If this interests you, phone or write Bill Geary. We respect your privacy. Our clients pay all fees.



### COMPUTER PERSONNEL CONSULTANTS, INC.

Suite 1202, 624 South Michigan Ave.  
Chicago, Illinois 60605 (312)  
922-7880

Agency licensed

## If you've got what it takes to **BE A LEADER IN SOFTWARE** prove it at Informatics.

Informatics is one of the fastest-growing software companies in the world. Since we were founded in 1962, the company has expanded to more than 350 employees and now has offices in seven U.S. cities and a field office in Europe. By plan, our markets represent the greatest growth areas in the computer industry, and that is why we need more people who feel and work like leaders.

About 80% of our work is concentrated in on-line and real-time systems, with increasing emphasis on advanced information systems, command and control, system engineering, and commercial software products.

We are seeking professionals with experience and goals in our major fields of interest... individuals who are innovative enough to make outstanding contributions in an industry and company that demands top creative ability. Opportunities exist at our Eastern Operations Office and various other East and West Coast locations.

There is much more to tell about prospects at Informatics. For additional career information, send your resume or phone Mr. Peter Kaminsky, (301) 654-9190.



## informatics inc.

Eastern Operations Office  
4720 Montgomery Lane  
Bethesda, Maryland 20014

An equal opportunity employer



# How low down can a decision get?

Our attitude is, the lower down the better.

Which is simply another way of saying that as a computer pro here at Control Data, you'll have a much larger say in the things that really count than you would be likely to have elsewhere. And that's not just talk. We designed it that way.

We're organized on a highly decentralized basis, with each division accountable for its own profit and loss. And within each division not only is every individual expected to participate fully in the delineation of his own bi-annual work goals, but every effort is made to insure that all upward, downward and lateral channels of communication are kept wide open and happening. This means you can always count on the people who count being familiar with both your intentions and your accomplishments.

The upshot is, that as a computer professional here, you're apt to find your influence outdistancing your position. Not that the discrepancy should worry you. Odds are, if you're like most people here, your position will grow at a pretty astonishing rate, too.


What do we get out of this low down approach to decision making? That's easy. The world's only supercomputer, for one thing. For another, what's generally acknowledged to be one of the most advanced lines of peripheral equipment in the industry. For still another, medium size computers, special purpose computers and things like analog-to-digital hybrids that are burning up the track.

If any of this inspires you to want to really get to the bottom of things, just write for more information or send a copy of your resume to: Thomas Linklater, Dept. S-4, Control Data Corporation, 8100 34th Avenue South, Minneapolis, Minn. 55440.


An equal opportunity employer.



We deliver what others promise.









## IMMEDIATE SEATING

- if you're exceptionally knowledgeable in your field
- if you're willing to utilize your full potential
- if you've reached the limits of your present position



We are the leading Personnel and Management Consultant Organization concerned with EXCLUSIVE placement of Data Processing Personnel. Our extensive search facilities and specific recruiting place us in a unique position to fulfill the requirements of employers of Data Processors. Your application is processed by E.D.P. Specialists who know the industry, its needs and WHERE THE OPPORTUNITIES EXIST. All fees are paid by the hiring company; there is no charge to the individual. Please contact Mr. Henry J. Lloyd, President.



### EMPLOYMENT FOR DATA PROCESSORS

140 Barclay Center, Cherry Hill, New Jersey 08034  
609/428-7238

Visit our suite during SJCC at Howard Johnson's Motor Lodge.

## U. S. Navy Scientific and Technical Intelligence

Center has vacancies for selected personnel in its

## Computer Branch

Programmers, Analysts with three or less years experience—work on hybrid, real time and time shared computer systems.

The U. S. Naval Scientific and Technical Intelligence Center located in the Washington, D. C. metropolitan area has programmer and systems analyst positions available. Positions include programming for on-line data analysis, interactive problem solving, dynamic CRT displays, text manipulation, process control and data base manipulation.

To apply, send Application for Employment, Standard Form 57 (available at any first class post office) to:

# STIC

Recent graduates with degrees in mathematics, physics, statistics, acoustics or engineering interested in becoming programmers or system analysts are invited to apply.

All applicants must be U. S. citizens and subject to thorough background investigation. These are excepted Civil Service career positions and will be filled on an equal opportunity basis.

U. S. Navy Scientific & Technical Intelligence Center, U. S. Naval Observatory, Washington, D. C. 20390.

### SJCC INTERVIEWS

Call Mr. Steiger at the Dennis Motel, (609) 344-8111, between 1 PM and 4 PM on Tues., April 30 or Wed., May 1.

can be no sophisticated salvo size computation, nor can there be any massive site assignment doctrine. Simple, quick, and dirty methods are best. It is not difficult to have a good simulation program which can do the siting in about 20 hours. Less time than this reduces the effectiveness of the model.

Programming time is not too costly. The statistical background needed to write such a program is not intense since only simple decisions are made at each link. Such a program, once the background model has been developed, can be written in about 480 manhours.

### SUMMATION

How can these approaches be applied to other game-theoretic applications?

The underlying motif is outlined as follows:

- (1) Obtain an objective that is programmable. We setup the "goodness" of the plays in such a way that we obtain an equation as the one below.

$$g = \sum_i w_i m_i \text{ where } w_i \text{ is the weight of the } i^{\text{th}} \text{ merit } m_i$$

- (2) Determine a game theoretic minimax that is independent of which plays can actually be made. This is the most difficult since it usually involves some very sophisticated mathematics. This minimax will be used as the guideline for setting up the various merit factors. That is, how well we play (according to some merit) is measured against the minimax.
- (3) Line up the plays on both sides so that most calculations that do not involve interaction can be done ahead of time. When interaction does occur, perhaps a simple calculation can be performed or a simple table search can be done.
- (4) Indicate opponent's plays by likelihood rather than some prefabricated method, i.e., establish weights for each of his plays.
- (5) Perform each play through to completion obtaining the final merit figures.
- (6) Select the play that gives the highest  $g$  (see 1).

It must be reminded that computer solutions must be geared to importance of results. These programs require much computer time at a large cost and hence cannot be overly fancy.

To write a chess playing program, for example, that would play fairly "good" chess at a rapid rate by either of these two approaches, strikes me as reasonably difficult. The reason behind this is not so much the complexity of the game, but because the solution to chess is not very important. From these approaches, you pay for what you play for. ■

<sup>1</sup>By using the above symbolisms it is not intended to confuse the reader. I merely want to indicate that a mathematical method exists and that, because of this, certain computer methods are necessary to solve them.



# If you're interested in working five years ahead of the times, learn about IBM in Atlantic City.

**We're working at state-of-the-art levels—and we need programmers and analysts now.**

Our Federal Systems Division is involved in a series of real-time projects for the Government that are about as advanced as anything in the field of computer technology today: trajectory analysis, orbit prediction, multi-programming, multiple-access concepts, acoustic instrumentation. And most of this work is being done using the latest computers and peripheral equipment available.

Our positions are located in Atlantic City, New Jersey.

At IBM you'll find completely company-paid benefits that include life and medical insurance and hospitalization coverage. IBM also offers you an exceptional Tuition Refund Program.

## **Are you one of these people?**

We need programmers and analysts with experience in one of two basic areas: information-handling systems and scientific-engineering programming.

Ideally, you should have a Bachelor's degree in Mathematics, Physics, Engineering, Economics, or Statistics. (Equivalent experience in some instances is acceptable.) You should have at least one year's experience.

## **Contact IBM today.**

If you're interested in one of the hottest careers going in computer technology, we want to talk to you. Send a brief resume to: Mr. J. F. Ryan, IBM Corporation, Department **BD-1049**, 18100 Frederick Pike, Gaithersburg, Md. 20760.


It could be the most important resume you've ever written.

**IBM®**

An Equal Opportunity Employer







## Space shots to the moon... golf shots to the green...

JOIN US IN BOTH AT THE J. F. KENNEDY SPACE CENTER IN SUNNY FLORIDA.

NASA's lunar module (LM), which took its first space journey in late January, was a talkative "bug." ITT Federal Electric Corporation's project team listened in and monitored each action and reaction of the craft from when it was first mated to its launch vehicle until the mission's end. The successful flight was a significant step toward the manned lunar landing.

As a prime contractor, Federal Electric Corporation has some 1500 professionals on the talented NASA/industry team involved with the Saturn Apollo program. Our fast expanding computation work at the Center provides real-time scientific test support, data reduction, systems analysis, computer operations and data storage and retrieval. This scientific, engineering and administrative support activity utilizes two GE 635 time sharing digital computer systems with 16 magnetic tape units, 128K word storage, a 786K word drum and real-time input/

output controllers on each system. We also use an IBM 7010 computer system for financial management and an IBM 1050 connected to a separate IBM 1440-7010 computer system for a real-time 30K item inventory system.

While the size and complexity of our mission provides you with talent-extending excitement, the great climate here in the heart of Florida's beautiful East Coast offers you unmatched relaxation. There's sun, sand and seashore plus water skiing, surfing, fishing, hunting and superb golf. It's comfortable living (at well below the national average cost), lots to do, and the perfect climate for doing it.

Please forward your resume, including salary history, in complete confidence to Mr. L. A. Hamilton, Federal Electric Corporation, Suite 501, Cape Royal Building, Cocoa Beach, Florida 32931.

**ITT**

**FEDERAL ELECTRIC CORPORATION**

ITT's World-Wide Service Associate. A Plans for Progress Equal Opportunity Employer (m/f)

has proposed a doubly chained memory structure that eliminates the reservation of computer memory space for the unused nodes that are represented by blank cells in Fredkin's Tries. But passing through a node via the second (continuation) chain does not involve that node's symbol in the symbol sequence, so extra linkages are needed. Scidmore and Weinberg<sup>9</sup> have proposed a tree structure which has no unused nodes also, although three linkage addresses are required at each node and frequently not more than one is used.

Cheyleur<sup>2</sup> has proposed the physical construction of a memory element utilizing not only sharing of initial symbol strings, but the sharing of polygrams in general.

Such symbol trees are of particular advantage in working with data of variable length. Some tree implementations are particularly easy to update.

Recalling that a "symbol" need not correspond to a character of the original alphabet, at least one comparison and address calculation must be performed for every symbol of the symbol string being traced through the tree. The symbol tree cannot give a false external memory address for an item not contained in the tree.

### "Hashing" Transformations

In this method, first described as "open addressing" by Peterson<sup>7</sup>, external memory is divided into equal sized portions, called "buckets". The term is transformed to an address by some algorithm. Such transformations may include selection of digits or bits, "folding" by adding some parts of the index item to others, or taking a remainder after division. The address so found is one of a bucket and is taken as the starting point of a directed cyclic scan of that bucket and all following buckets. The scan continues until either the desired item is found, or a flag is encountered. The flag indicates an unused memory location in which the item would be placed had it existed in the file.

Several transformation algorithms are discussed in one of the refer-



ences<sup>10</sup> in which the use of a table of partial index items is suggested to reduce the number of occurrences of identical addresses corresponding to different index items.

As the allocated memory becomes full, the number of searches for an item grows. Chaining from full buckets instead of the use of cyclic structure has been suggested.

Such items use a relatively small amount of high speed memory, but have the disadvantage that unless the complete file can be tested in advance the performance of the system is very difficult to predict.

### Triplet Searching

As this method, proposed by Rubinoff<sup>8</sup>, has not been described in the open literature, it will be covered in somewhat greater detail here than the other methods.

The first step in the triplet method is the arrangement of all the terms into lexicographic order and partitioning them into groups. The groups are not necessarily of the same length, as two restrictions are made on the partitioning\*. The first restriction is that the groups may not exceed some predetermined number of index items and the second is that the initial K characters of the last item of a group may not be identical with the initial K characters of the first item of the following group. In other words, it is possible to distinguish the index items at a group division using only the first K characters of the index items. K is chosen depending on the equipment used, and it is convenient to make K the number of characters contained in a word if a fixed word length machine is used.

In order to search for a term, first the group in which the term lies must be located. This may be done by performing a binary search of the list of group identifiers, these group identifiers being the first K characters of the first term of each group. That is, a relatively short list of single words is searched so that the group in which the term falls may be identified.

After the correct group has been found, a list of *triplets* that have a one to one correspondence with the terms of the group is brought into core memory. The triplets consist of

\* Another possible reason for modifying the length of groups is mentioned below.

## Systems Professionals



## Looking for a Challenging Game?

**B** It's a game that can be exciting and present one challenge and opportunity after another. The name of the game is Brunswick, and your future with us has never been more promising. Our leadership in the manufacture of consumer products has created stimulating opportunities for talented Systems Professionals in Corporate Information Systems. **B** You'll play your game with the latest facilities and equipment and have the creative freedom to develop your ideas and concepts into reality. At Brunswick you'll enjoy working in a professional and stimulating environment where you'll be understood, challenged and rewarded while enjoying professional growth and a sense of accomplishment. **B** It's your move. **B** If you're game for a challenge, please submit your resume in confidence to: Mr. T. L. Switzer, Management Manpower, Dept. A-7.



**Brunswick**  
**CORPORATION**

69 West Washington Street, Chicago, Illinois 60602

*An Equal Opportunity Employer*





**Join the  
Montgomery Ward re-generation**

# Multiply your capabilities ...multiply your rewards.

How do you computerize a conglomerate of stores, products and catalogs—all generating fast-moving challenges in distribution, credit, inventory control and other related areas? Montgomery Ward does it with retailing's largest 3rd generation data control center—and with a programming effort aimed at attacking a total management information system from 8 different areas simultaneously!

Essentially, an operation as fast and furious as this does three things for a programmer or systems man: (1) it generates continuous new challenges, (2) it continually expands and re-generates his capabilities, and, (3) it multiplies his rewards in terms of increasing responsibilities and earnings.

If you have two or more years COBOL or BAL experience and would like to enlarge upon it fast, make your move now to join Montgomery Ward. Write: M. K. Fenwick, Personnel Representative/Corporate Systems Division.



**MONTGOMERY WARD**

6th Floor, Data Center/140 S. State Street, Chicago, Illinois 60603  
An Equal Opportunity Employer

an integer which need never exceed the length of the longest term, one symbol, and the linkage address (which may be a relative address) to external memory. Such a list of triplets is illustrated below: in the sample shown the different linkage addresses are all represented by  $\mu$ ;  $\emptyset$  is used for a blank or space character immediately following the last non-blank character of a term and  $\emptyset$  indicates an unused character position in a computer word.

Except for the two double triplets shown, with this scheme information is generally packed so that only one machine word is required for each term reflected in a triplet group, if a fixed word length machine with a reasonably large word is used.

Now, after the correct group of triplets has been found by a search of the group identifiers and the triplet group fetched into core memory, the triplets are searched in the direction shown above. If  $\alpha$  is an integer and X a symbol, generated from the index as described below, then the comparison for the triplet  $\alpha X_\mu$  is as follows: the  $\alpha^{\text{th}}$  character of the complete term is compared with the symbol X. If they are identical, then the search has been completed and  $\mu$  is the desired address. If not, then the next triplet in the group is so inspected. If the last triplet (at the top of the list in the example) is reached with no successful comparison then the term is not in the file.

|                          | ORIGINAL INDEX |                        |
|--------------------------|----------------|------------------------|
|                          | ITEM           | TRIPLET                |
| DIRECTION OF SEARCH<br>↑ | TOIL           | 4L $\mu$               |
|                          | TOILE          | 5E $\mu$               |
|                          | TOILER         | 6R $\mu$               |
|                          | TOILET         | 6T $\mu$               |
|                          | TOILETRY       | 7R $\mu$               |
|                          | TOILETTE       | 7T $\mu$               |
|                          | TOILFUL        | 5F $\mu$               |
|                          | TOILSOME       | 5S $\mu$               |
|                          | TOILWORN       | 5W $\mu$               |
|                          | TOIT           | 4T $\mu$               |
|                          | TOKAY          | 3K $\mu$               |
|                          | TOKEN          | 4E $\mu$               |
|                          | TOKOLOGY       | 4O $\mu$               |
|                          | TOLA           | 3L $\mu$               |
|                          | TOLAN          | 6 $\emptyset$ 3L $\mu$ |
|                          | TOLBOOTH       | 4B $\mu$               |
|                          | TOLD           | 4D $\mu$               |
|                          | TOLE           | 5 $\emptyset$ 4E $\mu$ |
|                          | TOLEDO         | 5D $\mu$               |
|                          | TOLERABLE      | 5R $\mu$               |
|                          | TOLERANCE      | 7N $\mu$               |



In a few cases triplet pairs are required, which indicate two required conditions. The first is the length of the term, and the second a comparison as before.

Referring to the example triplet group, suppose that the  $\mu$  address corresponding to the term TOLD is required. (For this discussion TOLD will be considered to be justified left in a field containing as many blanks as necessary.) First, the list of group identifiers (initial K characters of initial index items of groups) is searched, and the triplet group shown above is brought into fast memory. Then the triplets are examined one at a time. Since the seventh character of TOLD is not an N, the first triplet is not the correct one.

Similarly, the second and third triplets indicate R and D as the fifth characters of the complete term, which they are not. The fourth triplet indicates that the term is four characters long by 5 $\mu$  (blank at end of word in the fifth position) but requires that the fourth character be an E by 4E $\mu$ . This latter condition is not met by the word TOLD. Finally, the next triplet does indeed correspond to the correct term, and is 4D $\mu$ . The match occurs when it is found that the fourth character of TOLD is D.

If a term is not in the system, a false hit is possible; entering the search process with TOLERABLY would retrieve the  $\mu$  address associated with TOLERABLE. For this reason, in most applications the full term should be repeated at some location in the external memory record specified by the  $\mu$  address, so that it may be checked.

Mention has been made before of the fact that the  $\mu$  address may be partial or relative. Since the group identifier is already determined when the triplet search begins, there may be an additional address segment or base associated with the group identifier.

The triplet group is generated in the reverse direction from that in which it is searched (that is, from the top down in the example). The

**YOU CAN REACH 91,000 Programmers, Mathematicians, Analysts, and EDP Managers with a CLASSIFIED AD—see page 38.**

# Pick your spot at McDonnell Douglas:

## East, Midwest, or West.

We have immediate openings for data processing professionals in St. Louis, Denver, Southern California, Houston, New York and Washington, D.C. Just indicate your location preference on the coupon, and we'll do the rest.

We're looking for systems analysts, programmers, math modelers, information system specialists, computing engineers, business consultants, computer-oriented salesmen, and other experienced data professionals.

You'll find what you're looking for at McDonnell Douglas: R&D programs; real-time, on-line systems; business, scientific and software programming; management information systems; and automation — to name just a few activities.

You'll find opportunities in commercial data service at our McDonnell Automation Company Datadromes and in engineering scientific and business computing and data processing at our Aircraft Division, and in our Information Systems Subdivision.

To arrange an interview, mail the coupon today; please attach your current resume, if available.

Mail to: Mr. W. R. Wardle, Professional Employment, Box 516, St. Louis, Missouri 63166. Or: Mr. L. J. Kilgore, Professional Employment, 3000 Ocean Park Blvd., Santa Monica, California 90406.

Name \_\_\_\_\_

Home address \_\_\_\_\_

City & State \_\_\_\_\_ Zip code \_\_\_\_\_ Phone \_\_\_\_\_

Education: BS \_\_\_\_\_ MS \_\_\_\_\_ PhD \_\_\_\_\_ Major Field \_\_\_\_\_  
(date) (date) (date)

Primary experience area \_\_\_\_\_

Present position \_\_\_\_\_

Location preference: East \_\_\_\_\_ Midwest \_\_\_\_\_ West \_\_\_\_\_

SWA-4

**MCDONNELL DOUGLAS**

An equal opportunity employer







**When your job  
begins to feel  
like this...**



### **Think about this:**

There are no dead ends for programmers and systems analysts at Univac. Your career can grow any direction you choose. You get new assignments and new responsibilities as fast as you can handle them.

What are we up to now? We're creating and manufacturing the finest computer hardware/software in the industry. And developing advanced methods of program construction. And planning for advanced software support. And exploring new logical language translation, compiler construction, mass memory allocation, information storage and retrieval, and interpretive programs. As well as conducting research in assemblers and loaders, program documentation techniques, advanced executive systems, remote programming systems, graphics... you name it.

To put your career back on the track, write and tell us your experience, capabilities and goals for today/tomorrow. Mail to: R. K. Patterson, Employment Manager, Dept. 108, address below.

**UNIVAC**  
FEDERAL SYSTEMS DIVISION  
2750 WEST SEVENTH BLVD.  
ST. PAUL, MINNESOTA 55116  
AN EQUAL OPPORTUNITY EMPLOYER M/F

first term (TOIL) is assigned its last letter as its character identifier 4L and an appropriate  $\mu$ . The second, third and all succeeding terms are compared character by character with the terms above them, scanning left to right. When the first character position in which the term being inspected differs from all items above it is found, the character and column position become the first two elements of the triplet. Thus, TOILSOME is assigned the triplet  $5S\mu$  because T has appeared before in column 1, O in column 2, etc., but nowhere before has S appeared in column 5. When, as in the case of TOLE, the scan goes to the end of the word, the first half of a double triplet is used to indicate the length of the word ( $5\mu$ ), and the scan starts again, from right to left, but this time comparing column positions with only the previous terms of the same length as the current index item. Note that it is possible for this scheme to fail:

|     |                     |
|-----|---------------------|
| ABC | 3 $C\mu$            |
| BCA | 1 $B\mu$            |
| CAB | 1 $C\mu$            |
| CBA | Cannot be assigned. |

In such a case, it becomes necessary to shorten the group of index items.

### **Balanced Trees**

A tree encoding mechanism quite different from those discussed before has been described by Landauer<sup>5, 6</sup>. In this tree every branching node (called the "associative catena"), except those on levels of the tree not completely filled, has a fixed number of branches. A term is also part of each node. Suppose that items are arranged in lexicographic order:  $I_1, \dots, I_N$ . If the branching factor is  $m$ , then  $m$  branches come from every node. In particular, suppose that a node associated with  $I_j$  appears on level  $k$  of the tree. Then the filial set of node  $I_j$  on level  $k$  is the set of nodes  $I_j, I_{j+1}, \dots, I_{j+m-1}$  on level  $k+1$ . If the tree has  $T$  levels, then there are  $m^T$  branches leaving the bottom of the tree; in the particular application being considered these branches would be links to external memory records.

Such a tree may be traced rapidly. Landauer has developed theories of searching, generating and updating them. The primary disadvantage of

(Continued on page 38)

## **NAVCOSACT Needs Computer Programmers— Analysts \$8,000 to \$18,000**

Apply your knowledge to complex problems in the Navy's worldwide, multi-computer command and control network. Vacancies exist for highly experienced computer programmers—analysts with in-depth programming experience in the areas of:

### **Executive & Operating Systems Management Information Systems Fleet Plans & Operation Systems Anti-Submarine Warfare**

Send a resume or Application Form 57 to:  
Civilian Personnel Director (Code 00M2)  
Naval Command System Support Activity  
Washington Navy Yard, Building 196  
Washington, D. C. 20390

or call NAVCOSACT Personnel Office  
(202) OX 3-4200 or OX 3-4201

An Equal Opportunity Employer  
U. S. Citizenship Required

## **SJCC INTERVIEWS**

Tues., Wed., Thurs., April 30,  
May 1 and 2; 9 A.M. to 8 P.M.

HOWARD JOHNSON MOTEL  
Arkansas Avenue  
Call Jack Salvail at 348-4411



After July 15th write direct to advertiser

## RUSH DETAILS ON ITEMS REFERENCED BY CIRCLED NUMBERS

|    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 |

Name ----- Title -----

Company ----- Address -----

City ----- State ----- Zip -----

JOB FUNCTION

|                          |                   |
|--------------------------|-------------------|
| A. Systems Analyst       | G. EDP Instructor |
| B. Math/Math Analyst     | H. EDP Consultant |
| C. Operations Research   | J. EDP Operator   |
| D. Scientific Programmer | K. EDP Student    |
| E. Business Programmer   | L. Other          |
| F. EDP Management        |                   |

TYPE OF INDUSTRY

M. Aerospace/Defense Industry  
N. Other Industry  
O. Commerce/Finance  
P. Transportation/Utilities  
Q. Research Organization  
R. Govt./Military  
S. EDP Consulting  
T. Education/Library  
U. Other

NO. OF EMPL.  
IN E-D-P DEPT.

1. Under 10  
2. 10-25  
3. 26-50  
4. 51-100  
5. Over 100



FIRST CLASS

PERMIT NO. 217

CLINTON, IOWA

**B U S I N E S S   R E P L Y   M A I L**

NO POSTAGE STAMP NECESSARY IF MAILED IN THE UNITED STATES

POSTAGE WILL BE PAID BY

software age

P. O. BOX 2680

CLINTON, IOWA 52732





**Software design  
for 3G hardware . . .**

**STERILE**



***System of Terminology  
for Retrieval of Information  
Through Language Engineering***

**John Canter**

Chairman of Department of Information Sciences  
and Director of the Computer Center,  
Point Park College

An investigation into the limitations of existing software systems for information retrieval applications has led to the development of a novel retrieval methodology. The system is entitled STERILE (System of Terminology for Retrieval of Information through Language Engineering). It permits the selection of information from structured indexes and/or from free text utilizing either permuted word forms or letter/character patterns, in addition to the traditional full-word-for-full-word matching.

■ Third generation computer hardware systems are a reality. The burden of responsibility for efficiently and effectively utilizing the inherent capabilities of the new families of computer systems now lies with the software community. In no other area of computer applications is this fact of life more forcefully brought to bear than in the area of information storage and retrieval.

The information explosion, which to a large degree was spawned by the emerging technologies of the World War II era, and is reaching

maturity during the Space Age, has led to a variety of mechanized systems for isolating and retrieving applicable materials in response to a search query. For the most part, these techniques have revolved about the reworking of traditional word-for-word matching applications, in which the search term (in absolute or coded form) is required to be identical in form, num-

John Canter graduated in 1960 from University of Pittsburgh, Phi Beta Kappa. He is currently Chairman of the Department of Information Science and Director of the Computer Center at Point Park College, which will offer the first B. S. degree in Information Science this year. He previously worked with the IBM Corporation as an instructor in unit record and computer systems, served as director of the computer center of a multi-state retail drug chain, and served as Assistant Director of the University of Pittsburgh's Knowledge Availability Systems Center.





ber, etc. with a corresponding member of an indexing array before retrieval is achieved.

An analysis of applied indexing terminology, and an investigation into the problems associated with textual or free form retrieval has revealed the possibility for using a different approach for developing IR software systems. In many substantive areas, there is a repetition of word bases or sequential letter strings common to all related terminology. Thus, the letters POLY are common to all polymer terms. The letters LUBR occur in "lubricant", "lubrication", "high temperature lubrication", etc. For steel, the letters STEEL recur regardless of whether the subject is austenitic, bainitic, martensitic, high strength, stainless, etc. In the halogen family, IODO, IODI, HALO, HALI, FLUOR, CHLOR and BROM form the nucleus of thousands of applied chemical terms.

Consequently, a second mechanism for software development in information storage and retrieval systems is to retrieve documents from either textual or structured arrays based upon the occurrence of word bases and number/character strings rather than upon the matching of full word search analytics and full word document entries. In this manner, if a document were to discuss any of a multiplicity of similarly-related compounds, mechanisms or situations, and the indexer were to utilize any one of this structure of available terms, then the document,

rather than being lost to the system, would be retrieved and made available for analysis and review. This is especially true in light of the changing terminology in which our society exists, with new scientific terms appearing daily.

A system which permits root word or character string searching has been developed. The system is entitled STERILE (System of Terminology for Retrieval of Information through Language Engineering). It permits the selection of information based upon permuted word forms or letter patterns, in addition to the traditional full-word-for-word matching.

STERILE is an information retrieval methodology which encompasses word analysis in both construction and meaning, strategy development, and application of these factors to an information file.

Mechanized and/or manual information retrieval operations revolve about the matching of terminology in a search question with the indexing terminology of the documents in a file. Whether the matching is accomplished by the needling of marginal hole-punched cards, by the manual correlation of the index entries and the search analytics, or through the electronic comparisons of digital computers, the operations are relatively similar. Terms may be joined together in a query by using "and", "or", or "not" connectors to form a search strategy, and the terms and connectors are then related to the indexed information. Documents matching the requirements of the question are isolated and retrieved.

STERILE does not alter any of the foregoing operations. It does, however, directly impinge upon the manner by which selected search terms are implemented.

As an example, an inquiry to a materials-oriented specialized information center may request "all documents relating to organic materials and their uses". In selecting search terms, an analyst would be expected to call for: organic; organic aluminum compound; organic boron compound; organic chemistry; organic compound; organic coolant; organic cooled reactor; organic fluorine compound; organic germanium compound; organic laser; organic liquid; organic lithium compound; organic material; organic moderated reactor; organic tin compound; organometallic; organometallic compound; organometallic polymer; etc. It is assumed that these are all viable terms for the given information center. Under existing techniques, the above series of terms would be searched, each term individually and specifically, in order to determine those documents which are applicable to the search query. However, STERILE alters the traditional approach, and requires, as the intervening step between selection of search terms and conducting of the search, an analysis of the selected word forms. The purpose of the analysis is to determine if, in the corpus of analytics chosen for searching, a commonality exists. In

**REGISTER TODAY WITH THE WORLD'S LARGEST EDP  
PLACEMENT SPECIALISTS**

... A Few Of Our Current Searches ...

- |                                       |                                        |
|---------------------------------------|----------------------------------------|
| <b>MGMT INFO SERVICES</b> \$12-25,000 | <b>OPERATIONS RESEARCH</b> \$13-25,000 |
| • Need all levels. Elect co.          | • Mgmt science/MIS. Top corp.          |
| <b>EDP CONSULTANTS</b> \$13-30,000    | <b>SOFTWARE EXPERT</b> \$14-20,000     |
| • Planning Staff. Conglomerate        | • New EDP center. Natl corp.           |
| <b>EDP MANAGER</b> \$14-16,000        | <b>SYSTEMS ANALYSTS</b> \$12-15,000    |
| • 360/20-30. Natl drug chain          | • Space age co. Comm'l applic.         |
| <b>SYSTEMS MANAGER</b> \$13-17,000    | <b>PROGRAMMING MGR</b> \$14-17,000     |
| • Mfg/finl applic. Small mfr.         | • Service bureau. Major cities         |
| <b>COMPUTER SYSTEMS</b> \$12-16,000   | <b>PROGRAMMERS</b> \$9-13,000          |
| • Develop tele-comm network           | • Financial co. Has 36 computers       |

Send Your Resume Today For Confidential Consideration On  
Hundreds Of FEE PAID Positions In Our National File ...  
State Your Salary Level And Geographic Preferences.



**ROBERT HALF PERSONNEL**

ATTENTION: DAN KRANE

ONE ATLANTIC STREET, STAMFORD, CONN. 06901

(203) 325-4158



**SYSTEMS ANALYSTS**

**Teleprocessing, EDP Systems,  
Quality Control, Procedural Writers**

The largest single state writer of automobile insurance needs  
experienced personnel for EDP systems in operation now—  
360/M30 and 360/M40's, with 360/M50's, 2314's and 2321  
on order.

Call or Write: **D. E. SCHMEISER**

**AUTOMOBILE CLUB OF MICHIGAN**

Detroit Insurance Exchange

150 Bagley, Detroit, Michigan 48226

(313) 963-2911, Ext. 311



the example under consideration, the letters O-R-G-A-N are common to all terms.

STERILE operates on the prediction that it is unnecessary to match complete word for complete word, as in traditional information retrieval systems operation, and rather that a partial match of carefully selected word bases may be more efficient and comprehensive a methodology to apply to literature searching. In the above example, then, STERILE would suggest the use of ORGAN as a search term. There is, however, an obvious inadequacy, and that is that the letters O-R-G-A-N form a unique English word which has no relationship to the search query. STERILE encompasses a method for eliminating this objection.

While current indexing systems utilize three types of connectors to relate the strategy terms: "or" (+); "and" (\*); and "not" (—), STERILE develops three additional connectors. They are: "permuted or" (@); "permuted and" (\$); and "permuted not" (#). The traditional connectors, in STERILE, are known as "absolute or" (+); "absolute and" (\*); and "absolute not" (—).

When an "absolute" connector is used, it indicates that the particular term to which the connector relates is to be treated as in conventional systems (i.e., in exactly the manner in which it appears), and as an entire-term-for-entire-term match.

STERILE's permuted connectors (@, \$ and #) act in somewhat the same manner as do the traditional linking devices, with one major exception. The permuted connectors call for a methodology of document selection based upon the occurrence of specific letters in the indexing analytics in a predetermined pattern, regardless of whether or not the letters are meaningful as an entity, and whether or not they form a specific term. Thus, in using ORGAN as a permuted search term, the desire is not to isolate all documents containing the specific index term ORGAN, but rather to locate all documents which have an index entry containing the letters O-R-G-A-N, in that uninterrupted sequence, somewhere in the body of the term. Such terms would include ORGANIC, ORGANOMETALLIC, and HYPERORGANIC in which the letters O-R-G-A-N appear in a skein. It does not matter in the STERILE system whether the desired configuration of letters is the physical prefix, suffix, or base of the indexing term, since the scan is by letters and not words.

In the STERILE system, then @ORGAN specifies the selection of documents in which ORGAN appears in any portion of an indexing analytic. \$ORGAN calls for all materials indexed by a permutation of ORGAN in conjunction with some other specified term or terms. #ORGAN requests that documents containing indexing terms with permutations of ORGAN be withheld from retrieval.

In the example requesting "all documents relating to organic materials and their uses",

STERILE would call for a strategy of @ORGAN-ORGAN-ORGANISM-ORGANIZATION. The @ORGAN calls for all documents indexed by any word of which ORGAN forms a part; however, this is further restricted by negating those documents for which the letters O-R-G-A-N are derived from ORGANISM, ORGAN or ORGANIZATION.

In another situation, an information file user may request "information on triodes, diodes, tunnel diodes, and other related devices". By applying the STERILE technique, term analysis reveals the commonality of the letters I-O-D-E. While these letters may not form a meaningful word, the IODE base may nonetheless be applied for searching. The STERILE format would be @IODE.

Of course, the STERILE system will not, with the @IODE strategy, locate documents indexed under SOLID STATE DEVICE, TRANSISTOR, etc., unless the system to which STERILE is applied contains an automatically-assigning thesaurus or cross-indexing and cross-referencing mechanism. In that case, the @IODE strategy could generate a series of additional STERILE and traditional terms and bases, such as ISTOR, SOLID STATE, etc. And as with conventional retrieval schemes, the selected word bases and full terms can, in STERILE, be related into complex search strategies, in which both STER-

## SYSTEM ENGINEERS

### ARE YOU CAPABLE OF HANDLING A CHALLENGE?

**Would you like to pioneer the development of a computerized water treatment-transmission system or a flood warning and reservoir operation system, or a number of other such projects?**

If so, we have two new positions available. One would be at a supervisory level requiring at least 5 years of professional experience in electronic or mechanical engineering with at least one year of recent experience in systems design and development of supervisory control, telemetry, computers, and process control. This position would pay up to \$16,000 per year for the right person.

The second position would be at the Assistant level requiring two years of similar experience and lots of learning capacity. This would pay up to \$10,000 per year. Moving allowances would be available plus ample fringe benefits for both positions.

For further information write Santa Clara County Flood Control and Water District, 516 East Martha Street, San Jose, California 95112 or phone Mr. Lloyd C. Fowler or Mr. William M. Roman (408) 299-3841.



## PROGRAMMERS PROGRAMMER/ANALYSTS SYSTEMS ANALYSTS



**Professional  
Career  
Centers, Inc.**

*In this age of specialization let a specialist help  
you make sure your next move is the correct move.*

For FREE SALARY ANALYSIS based upon the latest industry salary curves, circle Reader Service No. 12 and send your resume to

**PROFESSIONAL CAREER CENTERS, INC.**  
4641 Montgomery Avenue, Bethesda, Maryland 20014  
(Suburban Washington, D. C.)  
or call 301/657-2760  
Nationwide and Overseas

### PROGRAMMERS—ENGINEERS

Washington, D.C. • New York • New Jersey • New England • Philadelphia • Chicago • Minnesota • Texas • Ohio • Florida • Arizona • California • Southeast Asia

If you have a B.S., M.S. or Ph.D. and you are experienced or interested in any of the following, contact us immediately for free career counseling and an objective analysis of your position in today's market.

- |                           |                            |                          |
|---------------------------|----------------------------|--------------------------|
| <b>PROGRAMMERS</b>        | • Systems Simulation       | • Digital Logic Design   |
| • Management Info Systems | • Software Development     | • Digital Circuit Design |
| • Information Retrieval   | • Communications           | • Digital Communications |
| • Command & Control       | <b>SYSTEMS ENGINEERS</b>   | • Systems Integration    |
| • Aerospace Applications  | • Reliability Analysis     | • Soft Ware Analysis     |
| • Real Time/On Line       | • Digital Computer Systems | • Oceanography           |

Salaries range from \$8,200 to \$25,000. Our client companies assume all fees. Forward resume in confidence, or call (collect): Mr. Martin E. Sheridan (Area Code 703) 524-7660.

### SHERIDAN ASSOCIATES INC.

1901 North Fort Myer Dr., Suite 1010, Arlington, Virginia 22209  
(Just over the Potomac from Washington, D. C.)  
Personnel Consultants to the Computer Industry

- ☐ Please change my address  
☐ Please enter my subscription

### SUBSCRIBER SERVICE

#### FOR CHANGE OF ADDRESS

#### ATTACH LABEL HERE

If you're moving please let us know 5 weeks before changing your address. If you do not have your label print your old address below.

Old home address \_\_\_\_\_

City, State \_\_\_\_\_ (Zip)

Mail to: Software Age, 1020 Church St., Evanston, Ill. 60201

Please fill out the blanks below whether you are changing your address or requesting a new subscription.

My Specialty \_\_\_\_\_

prime experience in what industry? \_\_\_\_\_

- ☐ Technical Degree  
☐ Non-Technical Degree  
☐ No Degree  
☐ I have analog/hybrid exp.

\_\_\_\_\_ year born

Name \_\_\_\_\_

New home address \_\_\_\_\_

City, State \_\_\_\_\_

(Zip Code)

ILE and traditional connectors may be freely intermixed.

Within STERILE, the degree of generality or specificity may be controlled on four levels. The first level relates to the analytics which are selected for searching. FABRY-PEROT LASER will be far more selective in its document retrieval than will the generic SOLID STATE DEVICE.

The second level is tied directly to the method by which the search terms are developed by the analyst. If generality is desired in a search dealing with fluorine and fluorine compounds, the @FLUORO would be called for. If specificity is desired, such as for fluoromica alone, +FLUOROMICA may be utilized, in which case STERILE will operate as a traditional full-word-matching retrieval system. Compounded terms, such as "Information Storage and Retrieval", will also lead to more specific results.

The third level of control which is available under the STERILE system, and which permits added flexibility in retrieval operations, is accomplished through the optional use of analog type (x out of n) searches. A weighted numerical factor, based upon the relative hierarchical values of the search analytics to the question, is assigned to each term in a retrieval strategy. Terms may include whole words or STERILE bases. A "hit level" or numerical value which a document must attain or exceed in order to be retrieved is established, and the search is conducted. If, for example, a strategy of @ORGAN @POLY @LUBR @TEMP +USE were created, numeric values of 2,3,2,1,1 might be assigned to each of the respective terms, and a "hit level" of 3 established for the search. Any document indexed under a combination of terms whose collective numerical value equals or exceeds 3 will be retrieved.

Finally, on the fourth level, the STERILE system provides the user with the option of searching text and/or structured indexes. If text is selected, the user may then designate whether the entire text, or only some sub-portion or combination, such as titles only, abstracts and last paragraphs, etc. is to be used.

There is only one mechanical difference which separates STERILE from conventional searching schemes, aside from the three additional connectors and the use of abbreviated permutations when desired. The difference is that each term in the strategy, including the first term, must be preceded by a designated connector. A connector of either (@) or (+) must be used before the first term to denote the mode of that term, either absolute or permuted.

With its ability to examine permuted partial terms, STERILE permits the analysis of terminology based upon word roots, upon operation-denoting suffixes, and upon prefixes and other delimiters. As such, it is especially suitable for third-generation digital computer-based information retrieval systems. ■



**TROUBLE-TRAN**

PRESENTS

# XTRAN'S ADVENTURES IN FORTRAN

## PROBLEM #2

APRIL 1968

XTRAN CODED THE FOLLOWING ROUTINE TO READ 100 PAIRS OF X,Y FROM 50 DATA CARDS. CAN YOU EXPLAIN WHY EVERY SECOND PAIR OF DATA IS LOST ON THE READ?

```
SUBROUTINE XTRAN
  DIMENSION X(100), Y(100)
  10 FORMAT(4E15.5)
  K=1
  DO 20 J = 1, 50
    KK=K+1
    READ(2,10) (X(I), Y(I), I = K, KK)
  20 K=I+1
  RETURN
END
```

### TROUBLE-TRAN for fun and profit

Send your ANSWER to the problems posed here in each issue to:

TROUBLE-TRAN EDITOR

software age

1020 Church St., Evanston, Illinois 60201

The correct answer bearing the earliest postmark will net the reader submitting it ..... \$25.00

The second correct answer with earliest postmark wins ..... \$15.00

You can also profit by submitting PROBLEMS for this feature. If your problem in FORTRAN programming is selected for use in this feature, you will receive ..... \$25.00

#### Contest Rules:

1. ASA standard FORTRAN IV is assumed.
2. The IBM 7094 FORTRAN IV compiler is used in verifying answers.

**XTRAN'S  
ANSWER  
TO LAST  
MONTH'S  
PROBLEM**

DID YOU SAY THAT ONLY SUBROUTINE YTRAN WOULD COMPILE CORRECTLY? YOU ARE RIGHT. THE FORTRAN COMPILER WILL CLASSIFY STATEMENT 10 AS AN ARITHMETIC STATEMENT FUNCTION. SUCH FUNCTIONS HAVE TO APPEAR BEFORE ANY EXECUTABLE STATEMENTS. MOST COMPILERS TRY TO CLASSIFY EACH STATEMENT FIRST AS ARITHMETIC AND IF THIS FAILS THEY SEARCH FOR THE PROPER NON-ARITHMETIC.



# market place

where you can  
reach **91,000**

programmers, mathematicians,  
analysts and EDP managers.

## CLASSIFIED ADS in software age

### CLASSIFIED ADVERTISING

**Non-Display Classified:** For firms or individuals offering commercial products or services, 75¢ per word (including name and address). Minimum order \$7.50. For Blind Ad Service, an additional \$10.00. For "Positions Wanted" Ads, 55¢ per word (including name and address). No minimum. **Payment must accompany copy** except when ads are placed by accredited advertising agencies. Frequency discounts: 5% for 6 months; 10% for 12 months paid in advance.

**Display Classified:** One inch by one column, \$70.00. Column width 2 1/4". Photographs accepted for an additional \$20.00. Advertiser to supply all photo, art, cuts, or camera ready copy.

**General Information:** Helped wanted ads will not be accepted in the classified section. Employment ads are subject to General Advertising Rates (see rate card). Employment ads 1/8 page or more will be keyed to the resume form in back of publication and will qualify for free daily resume service. First word in all non-display ads set in bold caps at no extra charge. All copy is subject to publisher's approval.

**Closing Date:** 1st of preceding month (for example, May issue closes April 1st).

Send order and remittance to: Classified Dept., Software Age, 1020 Church Street, Evanston, Illinois 60201.

software age

1020 CHURCH STREET • EVANSTON, ILLINOIS • 60201

### CLASSIFIED ADVERTISING ORDER FORM

Please refer to the above information for complete data concerning terms, frequency discounts, closing dates, etc. Cash with order.

|    |    |    |    |    |
|----|----|----|----|----|
| 1  | 2  | 3  | 4  | 5  |
| 6  | 7  | 8  | 9  | 10 |
| 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 |
| 21 | 22 | 23 | 24 | 25 |
| 26 | 27 | 28 | 29 | 30 |
| 31 | 32 | 33 | 34 | 35 |

Words { @ 55¢ (Reader Rate) } = \$ \_\_\_\_\_  
          { @ 75¢ (Commercial Rate) }

Include Photograph @ \$20.00 additional (Display Ads Only)

☐ Run Ad Blind \$10.00    Insert \_\_\_\_\_ time(s)    Total Enclosed \$ \_\_\_\_\_

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Signature \_\_\_\_\_

**WORD COUNT:** Include name and address. Name of city (Des Moines) or of state (New York) counts as one word each. Zone or Zip Code numbers not counted. (Publisher reserves right to omit Zip Code if space does not permit.) Count each abbreviation, initial, single figure or group of figures or letters as a word. Symbols such as 35mm, COD, PO, AC, etc., count as one word. Hyphenated words count as two words.

SA-4

### ENCODING FROM ALPHA- NUMERIC NUMBERS

(Continued from page 32)

such a tree for the proposed application is that it is not well adapted to the use of variable length index items.

### Conclusions

The choice of any scheme must depend on the application. The purpose of this paper has been only to review briefly some of the available techniques. The results are summarized in tabular form.

### Acknowledgement

The author wishes to thank Dr. Morris Rubinoff, Principal Investigator of The Moore School Information Systems Laboratory, University of Pennsylvania for his suggestions and encouragement. ■

### BIBLIOGRAPHY


1. Bowlden, Henry J.: A List-Type Storage Technique for Alphameric Information, *Comm. ACM*, 6:433, 1963
2. Cheyleur, Benjamin F.: Dimensioning In An Associative Memory, *Vistas In Informative Handling*, Paul W. Howerton and David C. Weeks, ed., VI. London: Cleaver-Hume Press, 1963
3. Fisher, Stephen B.: *An Executive Control System For Information Retrieval Via A Remote Console*, M.S. Thesis, The Moore School of Electrical Engineering, University of Pennsylvania, Philadelphia, 1966
4. Fredkin, E.: Trie Memory, *Comm. ACM*, 3:490, 1960.
5. Landauer, Walter I.: The Balanced Tree and Its Use In Information Retrieval, *IEEE Trans. Electronic Computers*, EC12:863, 1963
6. Laudauer, Walter I.: *The Tree As A Strategem For Automatic Information Handling*, Doctoral dissertation submitted to the University of Pennsylvania, Philadelphia, 1962
7. Peterson, W. W.: Addressing For Random-Access Storage, *IBM J. Research and Development*, 2:130, 1957
8. Rubinoff, Morris: *Information System Design For The Information Processing Field*. Proposal submitted by The Moore School of Electrical Engineering, University of Pennsylvania, to the U.S. Air Force Office of Scientific Research, Philadelphia, 1965
9. Scidmore, A. K. and Weinberg, B. L.: Storage And Search Properties of a Tree-Organized Memory System, *Comm. ACM*, 3:28, 1963
10. Steward, Joseph Robert: *The Use of Abbreviated Tables for Addressing Random Access Storage*, M.S. Thesis, The Moore School of Electrical Engineering, University of Pennsylvania, Philadelphia, 1964
11. Sussenguth, Edward H., Jr.: Use of Tree Structures for Processing Files, *Comm. ACM*, 6:227, 1963



# Now...

## The "second generation" of the famous DigiComp,


enormously more "sophisticated" as additional "switches" and "core positions" permit many more decisions and "branching" possibilities.



Like its predecessor the DigiComp-I (see below) it is entirely mechanical in operation but affords the functions common to electronic computers in a form far more comprehensible. The best way ever to learn (or to teach) the principles of modern data processing.

**\$16.95 Postpaid**

## DIGITAL COMPUTER



Ingenious mechanical equivalent of an electronic digital computer. Can be "programmed" to perform, individually, every operation of a digital computer. Best thing ever for teaching binary math, how a computer operates, how and why problems must be broken down for machine solution. In kit form—1 hr. to assemble. **\$5.98 Postpaid**



## OH WAH REE

The ancient game of mathematical strategy which has intrigued millions for more than 30 centuries. A game at once so simple in its basics that a pre-schooler can enjoy it yet so complex in its possibilities that its fascination multiplies with the mathematical grasp of the player.

**\$7.95 Postpaid**

## CONFIGURATIONS

Based on concepts from the geometry of incidence, CONFIGURATIONS is a series of intriguing mathematical and geometric puzzles that will challenge and delight those who enjoy careful reasoning. It is authored by Professor Harold L. Dorwart, Chairman of the Mathematics Department, Trinity College, Hartford.

**\$4.95 Postpaid**



## TWIXT

Another famous "bookshelf" game, package matches that of Oh-Wah-Ree. A stimulating game with a fascinating chess-like strategy of move and countermove. Two or four players.

**\$7.95 Postpaid**

## SCIENCE/SYSTEMS

P. O. Box 1176  
Evanston, Ill. 60204

5A-4

Please send me at the address below:

.....  
.....  
.....

Save \$1 by ordering any 3 items or \$2  
on any order for 4 or more of the above  
(Games are shipped from separate warehouses)

.....  
(name)

.....  
(address)

..... (city) ..... (state) ..... (zip code)

**Illinois residents add 5% OES**



a FORTRAN IV (C level) compiler, a subroutine library, and scheduling and execution control monitor. Using FORCE-III, object programs may be catalogued and filed, thus permitting a library of programs which may be used repeatedly without recompilation. Files may be translated to, or generated from, catalogued OS data sets. Object programs, created and debugged under FORCE-III may be run under OS in the batch environment and, finally, OC can run simultaneously via multi-programming in the background, and provide normal batch processing at the same time. The system is designed for a 360/Model 50 or greater.

For more information circle No. 80  
on the Reader Service Card

## MANAGER MANAGEMENT INFORMATION SYSTEMS

A fairly large data processing installation . . . in an attractive, listed growth company . . . located in one of the more desirable Southern New England areas . . . should ring some bells for openers.

Our client wants an experienced software man, heaviest in systems, to lead a program of sophistication a conventional installation.

The present staff are learning PL-1. One of your tasks will be to attract more good people to your team. Position reports to the controller . . . administers a large group and has a very important project to bring "on line" as soon as possible.

We need an organized individual, capable of getting the best from his people. We also need real accomplishment in adapting major departments to data systems. We'd like to keep the income range open and find a cool pro. Write:

**McKENZIE ASSOCIATES, INC.**  
Management Engineers  
2446 West Albany Ave.  
West Hartford, Conn. 06117  
Phone: (203) 521-3330

Corporation has announced software simulators for 5 and 7 computers. The SDS 9300 series II simulates the CDC computers.

Programs execute direct on computers being simulated. This allows codes written for these computers to be run directly on SIGMA without modification. These simulators handle all hardware operations such as: boot strap-loading, I/O operations, interrupts, and console display and switch functions.

For more information, circle No. 79  
on the Reader Service Card

ESP—a comprehensive system for the evaluation, selection and application of forecasting techniques—was announced today by Software Resources Corporation.

ESP provides, for the first time in one unified package, a means of selecting the most suitable forecasting technique from the many powerful methods developed in recent years. According to Software Resources, the new system will appeal to market researchers, market planners, statisticians and others concerned with reliable forecasting of consumer demand patterns. ESP is also useful in sales analysis and evaluating the history of product demand.

Written in FORTRAN IV for the IBM 7090 and System/360 computers, output is available in both tabular reports and computer prepared graphs, Software Resources stated.

Among the techniques available under ESP are exponential smoothing, moving average, adaptive tracking, and rolling averages. In all, more than 20 different statistical and mathematical techniques are

available to system users.

For more information, circle No. 78  
on the Reader Service Card

Autoflow, a computer documentation proprietary software product, is now available for the Honeywell H-200 series. It was announced by Applied Data Research, Inc.

On the H-200 series, Autoflow directly accepts Honeywell's COBOL and Easy-coder languages. It is available to H-200 users on a lease or service bureau basis and was placed recently on the GSA schedule.

Autoflow is a proprietary software product that produces high-quality two dimensional flowcharts. All statement analysis, page allocation, line drawing and rearrangement of program flow is performed automatically by the Autoflow system.

The /360 Autoflow system has been extended to accept seven additional Assembly Languages: Sleuth (Univac 1107, 1108); Symbol, Meta-Symbol (Scientific Data System 910, 920, 930); Compass (Control Data 3200, 3300, 3400, 3600); DAP II (Computer Control 24, 124, 224); Art (Univac 418); and Autocoder (IBM 7070, 7074).

For more information, circle No. 77  
on the Reader Service Card

A new, compact, write only, magnetic incremental tape recorder for recording data in industry-compatible format for immediate data processing has been announced by Potter Instrument Company, Plainview, New York.

The ME-4210 can be connected to typewriters, keyboards, adding machines, accounting machines, cash registers, etc. Recorded data can be computer-processed without intermediate conversion. Applications include data logging, data transmission, and office machine output.

## PROGRAMMERS CAN SDS INTEREST YOU IN

Real-time programming/Hands-on experience/Diversified systems assignments in the fields of:

- TELEMETRY
- BIOMEDICINE
- DATA ACQUISITION
- HYBRID/
- NUCLEAR RESEARCH
- PROCESS CONTROL
- SIMULATION
- SEISMOLOGY

### EXCELLENT SALARIES

### PROFESSIONAL GROWTH

If you have a minimum of 3 years experience in assembly language programming, write Mr. Joseph Gerson.

### SCIENTIFIC DATA SYSTEMS

2525 Military Ave., Dept. SWA 4  
West Los Angeles, California 90064

An equal opportunity employer



The ME-4210 records data in one-character increments on magnetic tape. Asynchronous data transfers from 0 to 60 characters-per-second can be accepted. Recording accuracy is better than 1 in 107. Data is recorded in NRZ-I format on 1/2", 7-channel tape at a packing density of 200 bpi. The 5 1/2" diameter reels hold 140' of tape.

For more information, circle No. 76  
on the Reader Service Card

**Remote Switching Control Module, RSCM #101**, has been designed to offer remote control switching with ease and economy of installation as well as safety. The remotely located master switch may be installed as far as 3000 feet away from the RSCM and may be connected by low voltage (16 to 24 gauge) surface wiring (bell wire, etc.).

The RSCM is said to be ideal for permanent or temporary remote control applications, some of which include: central switching, instrument panel wiring, safety control, security control, shock hazard elimination, intrusion—burglar alarm and process supervisory control.

For more information, circle No. 75  
on the Reader Service Card

NAVCOR's new 1050 Series keyboard assemblies offer flexibility in meeting today's man/machine interface requirements. Completely modular in construction, the keyboards are available in a wide variety of standard configurations, and can be adapted to special applications with a minimum of time and cost. All-electronic design insures reliability and long life in the field. Each key has a life expectancy of over 100 million operations, and repair or modification of a keyboard involves only the removal and replacement of a modular component.

A basic keyboard consists of an array of NAVCOR KRM keys mounted directly on an etched-circuit base panel. For coded outputs, a diode matrix is available either on the same etched-circuit board which holds the keys or as a separate board below and parallel to the keyboard. Optional buffer and timing circuitry, contained on a third etched-circuit board

which mounts directly below the matrix, offers full double-strike protection without interfering with normal typing speeds.

For more information, circle No. 74  
on the Reader Service Card

A new ultra precision rack and pinion assembly for digital readout systems, especially designed for original machine equipment manufacturers is now available from Spaulding Instruments, Pasadena, Calif.

Key features of the Spaulding rack and pinion assembly include: rack mountings ground four sides for precision alignment drilled and counterbored for 10-32 mounting screws on 6.4 inch centers, hardened and ground 416 stainless steel precision racks, rack assembly sealed from chips and dirt, and gear box and photoelectric encoder assembly with .0002 inch resolution.

For more information, circle No. 73  
on the Reader Service Card

A new solid state operational element designed to perform economically and reliably in instrumentation, control, and computing systems as available from GPS Instrument Company, Inc., Newton, Massachusetts.

This new form of multiplier, formerly available only in complex instrument form or as part of high performance analog computers is said to open new horizons for the systems designer. It may be used in many applications such as squaring, multiplication of variables and division. Together with other COE-Line products, it can be used in a vast variety of systems for generation of special functions; correlation functions; convolution integrals; mixing of signals; ratio measurements; suppressed carrier modulation; VGC; resolvers; trigonometric computation; sampling; power measurement; and many more.

For more information, circle No. 72  
on the Reader Service Card

Honeywell EDP's Special Products Division have made its Model M4005 disk pack compatible with every computer disk

# EDP

- Programmers
- Analysts
- D. P. Management

Fast, Efficient, confidential service to individuals seeking new positions in the field of data processing. Call, write or visit one of our offices. Data Processing Placement since 1959.

CLIENT  
COMPANIES  
ASSUME  
OUR FEE

Computer Personnel  
Agency, Inc.

KENT MURPHY  
12 Geary Street, San Francisco, Calif.  
Phone: 982-0840  
NATIONWIDE DATA PROCESSING  
OPPORTUNITIES

## SUBSCRIBER SERVICE

Mail to: Software Age, 1020 Church St., Evanston, Ill. 60201

Please fill out the blanks below whether you are changing your address or requesting a new subscription.

My Specialty \_\_\_\_\_

prime experience in what industry? \_\_\_\_\_

- ☐ Technical Degree \_\_\_\_\_ year born \_\_\_\_\_
- ☐ Non-Technical Degree ☐ I have analog/hybrid exp. \_\_\_\_\_
- ☐ No Degree \_\_\_\_\_

☐ Please change my address ☐ Please enter my subscription  
**ATTACH LABEL HERE FOR CHANGE OF ADDRESS**  
 If you're moving please let us know 5 weeks before changing your address. If you do not have your label print your old address below.  
 Old home address \_\_\_\_\_  
 City, State \_\_\_\_\_ (Zip) \_\_\_\_\_  
 Name \_\_\_\_\_  
 New home address \_\_\_\_\_  
 City, State \_\_\_\_\_ (Zip code) \_\_\_\_\_



## EDP-SYSTEMS

WE SPECIALIZE IN CAREER CORRECTION

### ARE YOU "UNDERED"?

UNDER . . . PAID or UNDER THE WRONG BOSS . . . UNDER THE  
WRONG CLIMATE or UNDER PROMOTED  
UNDER UTILIZED or UNDER THE WRONG HOURS . . . UNDER THE  
WRONG POLICIES . . . or just "UNDERED"?  
FOR "OVERING" . . . CALL WA 3-2640

LAWRENCE PERSONNEL

1015 Chestnut, Philadelphia, Pennsylvania 19107

FEE PAID BY CLIENT COMPANIES • NO CONTRACTS • ALWAYS CONFIDENTIAL



## PROGRAMMER

### High Growth & Earnings Potential

A chance to pioneer with applications never programmed before! Established and highly respected management consulting firm (ACME) offers variety of challenging assignments to a creative programmer who can develop software for sophisticated management information systems. He will work with specialists on 185-man staff; participate in team efforts to solve varied problems; find ample opportunity for professional development, promotion, and increased earnings.

\* Three plus years heavy programming experience (tape and disc) in IBM, Honeywell, Univac or similar equipment. Good ability to communicate; freedom to travel. Send full details of your professional experience and earnings history, in confidence, to the attention of SAK at

**Kurt Salmon Associates**  
350 Fifth Avenue  
New York, N. Y. 10001

### ARE YOU GROWING OLD WITH THE WRONG COMPANY?

Don't waste your growth years on the wrong company. If your salary is not advancing as it should and if your promotions are slowing down, take a good hard look at the market. It will give you perspective. Perhaps you'll discover that you have not been mistreated after all. On the other hand, you may be surprised to learn how much your value has gone up in the last year or so.

Tear out this ad and mail it to us, along with your resume. There is no obligation. We'll call you within 24 hours if we think you are growing old with the wrong company.

### CALLAHAN CENTER FOR COMPUTER PERSONNEL

Suite 414 Boulevard Building  
1819 J. F. K. Boulevard, Phila., Pa. 19103

**SJCC**

While you are in Atlantic City call us collect; (215) 567-4811 to discuss career opportunities.


drive now on the market, company officials said.

An M4005 disk pack comprises six 14-inch-diameter disks mounted on a common spindle assembly. Data is recorded on the 10 "inside" surfaces (the upper surface of the top disk and the lower surface of the bottom disk act as protective covers). A pack weighs about 100 pounds.

The 0.050-inch-thick substrates are coated on both sides with a 3.5-inch-wide circular band of magnetic iron oxide averaging 0.00023 inches in thickness. The actual recording surface is a two-inch-wide strip along the band's center line.

For more information, circle No. 71  
on the Reader Service Card

\* \* \*



A new low-cost, low-profile silencer cover for IBM keypunches is introduced by Periphery, Inc., Framingham, Mass.

The AWECO Silencer Cover reduces noise levels by 75% and is 50% lower in cost than comparable models. The low, compact design eliminates operator objections to the prison-like appearance of other units.

The AWECO requires no extra lighting, since all sides are completely transparent. A rotating front window permits full access to the keypunch with removal of the cover.

For more information, circle No. 70  
on the Reader Service Card

\* \* \*

Computer Accessories Corp., Huntington, N. Y. has announced a new, portable Loader-Winder to complement its line of

winders and rewinders capable of handling perforated tapes.

Designated Model 204 LW, the loader box holds up to 1,000 ft. of one inch tape; another box is also available for 11/16" tape.

It offers variable speed control and adjustable tensioning to enable winding to any desired density. Speeds up to 1,000 fpm are possible and an adjustable slip clutch allows for high speeds or intermittent winding without tearing the tape.

For more information, circle No. 69  
on the Reader Service Card

\* \* \*

The Geo-Space CS-900-A Channel Simulator is a compact, portable test unit used for checking equipment designed to connect to the IBM System/360 1/0 interface. Originally designed to meet the in-house needs of Geo Space Computer Division for checking-out the DP-203 Digital CRT Plotter, CP-205 Magnetic Tape System and the 1044 Hybrid Linkage Unit, the CS-900-A may be used for a wide range of peripheral devices designed to attach to the IBM System/360. In addition, the CS-900-A is a self-contained unit including power supplies.

For more information, circle No. 68  
on the Reader Service Card

\* \* \*

Development of a data compressor that could cut the computer costs of data acquisition systems by 90 percent has been announced by Stellarmetrics, Inc., Santa Barbara, Calif.

The new data acquisition sub-system is designed to take the output from high-speed analog-to-digital converters at data rates up to 100 KHZ. The device scans all information channels, but forwards only data that has changed between data samples. Read-out is in digital words that can easily be computer-translated into numerical form.

For more information, circle No. 67  
on the Reader Service Card

\* \* \*

Maintenance free thumbwheel control switches are being used in complex com-

## INFORMATION PROCESSING JOURNAL

A QUARTERLY REFERENCE JOURNAL DEVOTED TO THE  
THEORY, DESIGN, AND APPLICATION OF ELECTRONIC COMPUTERS

DESIGNED TO ASSIST THE COMPUTER SPECIALIST LOCATE INFORMATION  
On a Specific Subject or Topic, in a Fraction of the Time required by Conventional Literature Search.

PRESENTED IN ABSTRACT FORM, COMPLETELY INDEXED  
By Subject, Topic, Source and Author and Thoroughly Cross-referenced.

6,000 ABSTRACTS PER YEAR

**CAMBRIDGE COMMUNICATIONS CORPORATION**

1612 K St. N.W.  
Washington, D.C. 20006  
(202) 393-1239

Specialists in Scientific Information Retrieval for over 10 years

For more information, circle No. 11 on the Reader Service Card





the 12 monitor stations. As a result of computer analysis, the system distributes information for display at the various stations. The displayed information assists hospital personnel in diagnosis and treatment.

For more information, circle No. 65  
on the Reader Service Card

A series of circuit card guides specifically designed for miniature integrated circuit cards has been introduced by Scanbe Manufacturing Corp., Monterey Park, Calif.

The small card guides—designated as the Scanbe M series—are for miniature cards from one inch to 2.75 inches long. With a 1/8-inch minimum card spacing, the M Series is capable of accommodating more than 500 integrated card configurations.

Incorporating only one T or H-shaped mounting bar, the M Series provides a small guide profile that permits higher density packaging and better cooling.

For more information, circle No. 64  
on the Reader Service Card



A new, low-cost, direct access storage system designed for the UNIVAC 9000 series computers was announced today by Sperry Rand's UNIVAC Division.

Known as the UNIVAC 8410 Disc File, the new system enables users to bridge the costly gap between punched card and direct access processing, and offers unique

puterized milling machines to insure that settings of start, stop and cutting depth are rigidly maintained.

Developed and manufactured by The Digitran Company of Pasadena, Calif., the Digitran Model 9000 sealed switches function in an environment of metal chips, oil, dirt and smoke, with no equipment down time due to switch malfunction.

The switches control the computers that operate the milling machines, by maintaining the exact parameters programmed into the system.

Other applications of Digitran switches include military and commercial airborne and ground communications, test equipment, computer control, and data handling systems.

For more information, circle No. 66  
on the Reader Service Card

A new patient monitoring system that bridges the gap between transducers—which measure temperature, blood pressure, and other variables—and a general purpose digital computer has been introduced by Redcor Corporation, Canoga Park, Calif.

A complete network of 64 transducers and 12 display stations, in various hospitals, are connected to the Redcor system via various communication media.

Under control of a general purpose digital computer, the system monitors physical variables and events in each of



## HATE TO WRITE A RESUME?

CALL COLLECT—DAY OR NITE  
YOU RECITE—WE WRITE

### WE WILL ALSO—

- Distribute your resume in a manner responsive to your objectives
- Provide career guidance using knowledge gained from our own actual 6 years programming and 5 years personnel management experience
- Provide middle man services during job negotiations

NO FEE—NO CONTRACT

NO OBLIGATION

CALL COLLECT ANYTIME

INCLUDING WEEKENDS

(609) 662-6621

If you prefer, send a resume or rough notes of education, experience and requirements or Software Age resume form to:

Howard Levin, Director  
RSVP SERVICES  
304 Victor Avenue  
Cherry Hill, N. J. 08034

RECRUITMENT • SELECTION • VOCATIONAL TRAINING  
PLACEMENT FOR COMPUTER ORIENTED COMPANIES

## How to get a job in CALIFORNIA!

The only complete guide of its kind. Complete facts on California employers, their openings, who to contact. Also information on the State's housing, taxes, cultural activities, driving regulations, housing, food. It's the How-To-Do book on California.

Introductory letters and facts by heads of the State of California Chamber of Commerce, Greater Los Angeles and San Francisco Bay Area Chambers of Commerce.

At your newsstand now. Or write: Drake Publications, 9168 Kearny Street, San Francisco, California 94133. \$2.00 post-paid. Satisfaction absolutely guaranteed or your money back.

Spring Edition 1968 — Out Now



PROGRAM YOUR CAREER FOR SUCCESS  
EXPLORE NATIONWIDE EMPLOYMENT OPPORTUNITIES THRU ONE CONTACT

PROGRAMMERS D P MANAGERS ANALYSTS

STARTING SALARIES \$8,000 TO \$20,000 (ALL FEE PAID)

SEND YOUR FLOW CHART (RESUME) OR CALL (212) MU 3-6000

ROBERT BOOK, EDP/SYSTEMS MGR

KNORR ASSOCIATES INC

52 VANDERBILT AVE NEW YORK CITY 10017  
THE PROFESSIONAL AGENCY SERVING THE EDP COMMUNITY



advantages within a wide range of data processing applications.

Suitable for field-installation on any UNIVAC 9200/9300 System, the 8410 Disc File provides removable direct access storage of 3.2 to 12.8 million bytes, or 6.4 to 25.6 million digits in packed decimal format.

A basic 8410 System includes a master dual disc drive expandable one drive at a time to a total of eight drives. Each drive holds a reversible disc cartridge with two storage surfaces; one of which is on-line. By interchanging disc cartridges,

unlimited storage is provided for applications which require serial processing.

For more information, circle No. 63  
on the Reader Service Card

• • •

Data-Control Systems, Inc. announces the availability of a new **high frequency Up/Down Translator** for handling data translation up to 5 MHz. Operational mode is selected through interchangeable, plug-in tuning units.

Typical uses are multichannel and constant bandwidth applications where a multiplex is translated to a higher band

and summed with an untranslated multiplex for transmission or recording, or where six channels must be transmitted over a 5 MHz line.

Reference signals may be supplied by an internal crystal oscillator or an external source.

For more information, circle No. 62  
on the Reader Service Card

• • •



## PROGRAMMERS Scientific/Commercial

To support our work in research, development and systems engineering, experienced programmers are needed at Vitro Laboratories. Our IBM 1401—7090—360/30/40 computer facility provides operations research, analysis and prediction, information retrieval, and systems simulation in support of our work on ASW fire control techniques, advanced torpedo design, underwater acoustics, acoustic

imaging, oceanographic communications studies, and missile systems integration and management.

A degree in mathematics, physics, engineering or chemistry is necessary for scientific work; two years experience with a degree is required for commercial programming.

Please send your resume to Mr. Harvey Weisberg, Employment Manager, Vitro Laboratories.

VR-2

**Vitro LABORATORIES**  
VITRO CORPORATION OF AMERICA

14000 Georgia Avenue • Silver Spring, Maryland 20910  
(Suburb of Washington, D. C.)

An equal opportunity employer M&F



A **Remote Recording** feature, enabling one IBM Magnetic Tape **SELECTRIC** Typewriter to send information to another, has been announced by the IBM Office Products Division. A telephone data set is utilized in the system for sending exact duplicates of typewritten documents at speeds of up to 150 words per minute.

For more information, circle No. 61  
on the Reader Service Card

• • •

Honig Time Sharing Associates, Inc. announced the availability of an **Interface System** for use with an IBM 1130 computer which expands the capabilities of the 1130 to provide a true on-line and terminally oriented system. With this interface, users can communicate to their 1130 computer over standard voice grade telephone lines and commercially available terminals.

This interface attaches to an 1130 via the IBM Storage Access Channel, feature code 7490. Computer instructions necessary to operate devices attached to the interface are standard 1130 I/O instructions and no additional modifications are necessary within the 1130 system. This interface will allow users to attach teletypes, IBM 1050's, or IBM 2741's to an 1130 in numbers up to 15.

For more information, circle No. 60  
on the Reader Service Card



# software age

THIS INQUIRY IS IN  
DIRECT RESPONSE TO  
YOUR ADVERTISEMENT  
IN  
SOFTWARE AGE  
MAGAZINE

## CONFIDENTIAL INQUIRY

Your original copy of this form will be retained at the offices of SOFTWARE AGE and will be used for no other purpose than to notify the specific firms which you have checked (on the reverse side) of your interest.

## TYPE OR PRINT CLEARLY FOR PHOTO REPRODUCTION

JOB DESIRED: \_\_\_\_\_

List computer hardware knowledge (names of systems, tape, disk, terminals, etc.): \_\_\_\_\_

Programming specialties and years of experience (commercial, scientific, theoretical, experimental, analog, etc.): \_\_\_\_\_

Systems programming on which you have had development experience (compilers, assemblers, executives, monitors, O.S., etc. Indicate for what computer): \_\_\_\_\_

Programming languages used and extent of experience (COBOL, FORTRAN, etc.): \_\_\_\_\_

Applications programmed (aerospace, banking, insurance, math subroutines, compilers, etc.): \_\_\_\_\_

Systems analysis experience (card design, flow charting, operation analysis, etc.): \_\_\_\_\_

EDP management experience (include years and number of people reporting to you): \_\_\_\_\_

SALARY: \_\_\_\_\_ (current) \_\_\_\_\_ (desired) DATE OF AVAILABILITY: \_\_\_\_\_

EDUCATION: Indicate major as well as degree unless self-explanatory.

| Degrees | Years | Schools |
|---------|-------|---------|
| _____   | _____ | _____   |
| _____   | _____ | _____   |
| _____   | _____ | _____   |

EMPLOYMENT: Indicate present employment and previous jobs below.

| Employer | City  | Years _____ to _____ | Title or Function | Name  | Age   |
|----------|-------|----------------------|-------------------|-------|-------|
| _____    | _____ | _____ to _____       | _____             | _____ | _____ |
| _____    | _____ | _____ to _____       | _____             | _____ | _____ |
| _____    | _____ | _____ to _____       | _____             | _____ | _____ |

Home Address \_\_\_\_\_ Home Phone \_\_\_\_\_

(city) (state) (ZIP code) U.S. Citizen? \_\_\_\_\_

Security Clearance \_\_\_\_\_ Location Preference \_\_\_\_\_

Marital Status \_\_\_\_\_

BE SURE YOU HAVE CHECKED ON REVERSE SIDE  
THE COMPANIES YOU WANT TO SEE THIS INQUIRY.  
PUT FORM IN STAMPED ENVELOPE AND MAIL TO:

software age

MAGAZINE

1020 CHURCH ST., EVANSTON, ILL. 60201



# check your interests here

Fill in the confidential inquiry form on the other side of this sheet. *(Be sure to use this form. We cannot process multi-page resumes; and this form provides all the information advertisers require to screen applicants. If further information is desired,*

*you will hear from the advertiser direct.)* Then, circle below the numbers of those companies to which you want copies of your form sent. Mail to SOFTWARE AGE, 1020 Church Street, Evanston, Illinois 60201.

|                                                                   | Page      |
|-------------------------------------------------------------------|-----------|
| 1. AC Electronics Div. of General Motors Div. ....                | 13        |
| 2. Automobile Club of Michigan .....                              | 34        |
| 3. Booz-Allen Applied Research Inc. ....                          | 12        |
| 4. Brunswick Corp. ....                                           | 29        |
| 5. Collins Radio Co. ....                                         | 7         |
| 6. Control Data Corp. ....                                        | 24 & 25   |
| 7. Defense Intelligence Agency .....                              | 4         |
| 8. Honeywell Inc., Electronic Data Processing ....                | 4th Cover |
| 9. IBM Corp. ....                                                 | 27        |
| 10. Informatics Inc. ....                                         | 23        |
| 11. ITT Federal Electric Corp. ....                               | 28        |
| 12. Kurt Salmon Associates .....                                  | 42        |
| 13. McDonnell Douglas Corp. ....                                  | 31        |
| 14. Mobil Oil Corp. ....                                          | 19        |
| 15. Montgomery Ward Data Center .....                             | 30        |
| 16. National Cash Register Co. ....                               | 20        |
| 17. National Cash Register Co. Electronics Div. ....              | 15        |
| 18. Pratt & Whitney Aircraft .....                                | 11        |
| 19. Raytheon Co. Missile & Space Div./Bedford ...                 | 2nd Cover |
| 20. RCA .....                                                     | 3         |
| 21. Santa Clara County Flood Control and Water District           | 35        |
| 22. Scientific Data Systems .....                                 | 40        |
| 23. Sikorsky Aircraft Co. ....                                    | 17        |
| 24. United Air Lines .....                                        | 5         |
| 25. U. S. Naval Command System Support Activity/Navocossact ..... | 32        |

|                                                              | Page      |
|--------------------------------------------------------------|-----------|
| 26. U. S. Navy Scientific & Technical Intelligence Center .. | 26        |
| 27. Univac Data Processing Div. ....                         | 6         |
| 28. Univac Federal Systems Div. ....                         | 32        |
| 29. Vitro Laboratories .....                                 | 44        |
| 30. Whirlpool .....                                          | 21        |
| 31. Xerox Corp. ....                                         | 3rd Cover |

## EMPLOYMENT AND SEARCH AGENCIES

|                                                  |    |
|--------------------------------------------------|----|
| 32. Callahan Center for Computer Personnel ..... | 42 |
| 33. Computer Personnel Agency, Inc. ....         | 41 |
| 34. Computer Personnel Consultants, Inc. ....    | 23 |
| 35. Employment for Data Processors .....         | 26 |
| 36. Robert Half Personnel Agencies .....         | 34 |
| 37. Knorr Associates Inc. ....                   | 43 |
| 38. Lawrence Personnel .....                     | 41 |
| 39. Management Scientists, Inc. ....             | 22 |
| 40. McKenzie Associates, Inc. ....               | 40 |
| 41. Professional Career Centers, Inc. ....       | 36 |
| 42. RSVP Services .....                          | 43 |
| 43. Sheridan Associates, Inc. ....               | 36 |
| 44. Source EDP .....                             | 22 |

## PRODUCTS AND SERVICES

|                                     |    |
|-------------------------------------|----|
| Cambridge Communications Corp. .... | 42 |
| Drake Publications .....            | 43 |
| Science/Systems .....               | 39 |

☐ I do not now receive S/A. Please enter my FREE subscription.

My Specialty

Prime Experience in What Industry

☐ Technical Degree      ☐ Non-Technical Degree      ☐ No Degree

☐ I Have Analog/Hybrid Experience

Year Born

# software age

1020 Church Street  
Evanston, Ill., 60201



# At Xerox, we look at our programmers...



## and see managers...

The kind of programmers we look for aren't satisfied with narrow EDP solutions. They look for ways to improve business operations with systems thinking in the broadest sense. Using creative analysis and synthesis to enhance customer service in every facet of our dynamic marketing environment. Which, by the way, is part of the reason all our programmers are called programmer analysts.

If you're getting the impression that programming at Xerox is more than being a man-machine interface, you're right. It's an exposure to almost every facet of our operations, through planned

rotation from system to system. Encompassing business modeling, market research and information, manufacturing/inventory/equipment control, general accounting and engineering research...plus some applications so unique we can't even mention them. We refer to it as our Talent Enhancement Program: multiple, simultaneous, short (3-6 month average duration) projects plus room for individual contribution equal a strong innovative staff for us and broad experience for you ...which is the best preparation for better things to follow.

If you have a Bachelor's Degree

and/or experience with an IBM 360 or 7000 system, or a Univac 1108, using COBOL or AUTOCODER, there could be a future management opportunity waiting for you at Xerox. To find out more about the opportunities open at Xerox on all levels, send your resume, including salary history and requirements to Mr. Norman G. Schott, Dept. MZ-69-D1, Xerox Corporation, P. O. Box 1995, Rochester, New York 14603. An Equal Opportunity Employer (m/f)

# XEROX



# COMPUTERLAND



Some people are constitutionally unable to accept routine. If they have to work on similar problems too often, they get restless and lose interest in their work.

They need a constant supply of fresh challenges to keep their minds alive. They thrive on the challenge of new problems. They enjoy discovering new approaches and developing new ideas.

They're the idea people, and at the Honeywell EDP Technology Center, we're looking for idea people.

## PROGRAMMER/ANALYSTS

To be engaged in researching, designing and developing software packages which will maximize the efficiency of present and future generations of hardware. To demonstrate the imagination and creativity necessary to the original conception and development of complex software systems. Openings exist at the intermediate (2 years' experience) through senior levels. We are specifically interested in:

### PRIMARY SYSTEMS DEVELOPMENT:

The design of complete operating systems to act as interface between customer applications and computer systems in a real time environment.

### COMMUNICATIONS SOFTWARE:

To monitor, control and interface communications networks and computer systems in a real time environment.

### MASS STORAGE:

The design of software to control and utilize random access storage devices.

## COMPILER TECHNIQUES:

Translation and simulation of existing programs and systems so that they may be more effectively used with new hardware and software.

## SCIENTIFIC SOFTWARE PACKAGES:

Development of software for use in Operations research, linear programming, numerical control, math modeling and simulation.

Please forward your resume to Mr. David McGowan.

The Other Computer Company:  
**Honeywell**

**ELECTRONIC DATA PROCESSING**

200 Smith Street, Dept. SA-4  
Waltham, Massachusetts 02154